



## Inspection Report

---

EAST COAST EXOTIC ANIMAL RESCUE INC  
320 ZOO ROAD  
FAIRFIELD, PA 17320

Customer ID: **7182**

Certificate: **23-C-0153**

Site: 001

EAST COAST EXOTIC ANIMAL  
RESCUE INC

Type: ROUTINE INSPECTION

Date: 05-JAN-2023

---

**3.78(d)**

**Repeat**

### **Outdoor housing facilities.**

There is a large wooden post and a large tree limb that have fallen onto the perimeter fence, behind the grivet enclosure, which have caused the fencing to bow inward.

Areas of the perimeter fence which are in a state of disrepair impact the integrity of the fence and can potentially allow the entry of other animals.

Perimeter fences must be constructed so that they prevent entry of unauthorized persons or other unwanted species.

Correct by removing the post and tree limbs from the perimeter fence.

**3.125(a)**

**Repeat**

### **Facilities, general.**

In the fallow deer enclosure, there are still several areas in a state of disrepair. There is a section of chain-link fencing, close to the nonhuman primate housing, that has a significant bow causing the deer fence to stand approximately 4-5 feet tall. It appears that something may have fallen on the fence and caused it to lose tension resulting in the bowing. On the spring house, two pieces of metal roofing material have been torn from the back of the building which has created an approximately 18 inch by 4 foot gap in the roof. There is an additional 12 inch by 12 inch piece of metal roofing missing from an area below the above mentioned gap. This area is covered by a wire panel but still contains jagged edges which

---

**Prepared By:** AMY NOOYEN

USDA, APHIS, Animal Care

**Date:**

06-JAN-2023

**Title:** VETERINARY MEDICAL  
OFFICER

**Received by Title:** Facility Representative

**Date:**

06-JAN-2023



## Inspection Report

---

could cause injury if the deer were to step through the paneling. The spring house is built into the the hillside which would allow the deer to have access to the gaps and sharp edges in the roof. The other small building, in the same enclosure, has several rusted roofing panels which are becoming detached from the structure.

In the fox enclosure, there are several pieces of broken wood and debris scattered on the ground.

Enclosures with gaps, sharp edges, compromised fencing, or broken materials can allow for the entrapment, injury, escape, or death of the animals.

The facility must remove, repair, or replace the above mentioned items in the fallow deer and fox enclosures to protect the animals from injury and contain them.

This inspection and exit interview were conducted with facility representatives.

---

**Prepared By:** AMY NOOYEN  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
06-JAN-2023

**Received by Title:** Facility Representative

**Date:**  
06-JAN-2023



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
7182	23-C-0153	001	EAST COAST EXOTIC ANIMAL RESCUE INC	05-JAN-2023

Count	Scientific Name	Common Name
000001	<i>Bos primigenius indicus</i>	ZEBU
000001	<i>Cebus capucinus</i>	WHITE-HEADED / WHITE-THROATED CAPUCHIN
000012	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Lama pacos</i>	ALPACA
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000001	<i>Chinchilla lanigera</i>	CHINCHILLA (DOMESTICATED)
000002	<i>Potos flavus</i>	KINKAJOU
000008	<i>Sapajus appella</i>	BROWN CAPUCHIN / TUFTED CAPUCHIN
000003	<i>Chlorocebus aethiops</i>	AFRICAN GREEN MONKEY / GRIVET
000002	<i>Cynomys parvidens</i>	UTAH PRAIRIE DOG
000052	<i>Dama dama</i>	FALLOW DEER
000001	<i>Lama glama</i>	LLAMA
000001	<i>Nasua narica</i>	WHITE-NOSED COATI
000003	<i>Petaurus breviceps</i>	SUGAR GLIDER
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000093	<b>Total</b>	