



## Inspection Report

Raymond Hoover  
4596 Lakemont Himrod Rd  
Dundee, NY 14837

Customer ID: 11170  
Certificate: 21-A-0065  
Site: 001  
RAYMOND HOOVER

Type: ROUTINE INSPECTION  
Date: 08-APR-2014

### 3.6(a)(1)

#### PRIMARY ENCLOSURES.

\*\*\* Pens # 27, 28 and 29 have sections of the wire mesh not secured to the frame creating a gap in the enclosure. These sections of mesh need to be secured to keep the enclosure in good repair and to contain the dogs.

\*\*\* A few of the whelping enclosures have plastic coating coming off the wire mesh flooring. These sections of flooring need to be addressed to keep the enclosures in good repair.

Correct by: May 10, 2014

An exit briefing was conducted with the licensee at the time of the inspection.

Prepared By: ANDREA D AMBROSIO, A C I USDA, APHIS, Animal Care

Date:  
09-APR-2014

Title: ANIMAL CARE INSPECTOR 6003

Received by Title: CERTIFIED MAIL # 7013 1710 0000 0071 8752

Date:  
09-APR-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
11170	21-A-0065	001	RAYMOND HOOVER	08-APR-14

Count	Scientific Name	Common Name
000053	<i>Canis lupus familiaris</i>	DOG ADULT
000038	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000091</b>	<b>Total</b>	