



## Inspection Report

---

Taylor'S Traveling Troup  
1830 North 1300 West  
Pleasant Grove, UT 84062

Customer ID: **333229**

Certificate: **87-C-0060**

Site: 001

TAYLOR'S TRAVELING TROUP

Type: ROUTINE INSPECTION

Date: 18-JAN-2017

---

### 3.50(a)

#### FACILITIES, GENERAL.

In the north outdoor rabbit pen, a dog house being used as shelter had an approximately 1 foot diameter hole in the roof. The bedding and floor of the dog house were visible through the hole. Structures not maintained in good repair cannot properly protect the animals and allow them to remain dry during rain and snow. This could increase the possibility of illness and adversely affect the health and well being of the animals.

Shelter must be repaired or replaced by 2/1/17.

This inspection and exit interview were conducted with facility representative.

---

Prepared By: ANN GOPLEN D.V.M, D V M USDA, APHIS, Animal Care

Date:  
19-JAN-2017

Title: VETERINARY MEDICAL OFFICER 6109

Received by Title: SENT BY EMAIL

Date:  
19-JAN-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333229	87-C-0060	001	TAYLOR'S TRAVELING TROUP	18-JAN-17

Count	Scientific Name	Common Name
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000001	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000001	<i>Chinchilla brevicaudata</i>	CHINCHILLA
000002	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000007	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000002	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Petaurus breviceps</i>	SUGAR GLIDER
000001	<i>Sus domestica</i>	DOMESTIC PIG
<b>000019</b>	<b>Total</b>	