



Inspection Report

Miguel A Palacios
19 Brenda Lane
Round Rock, TX 78665

Customer ID: **42746**

Certificate: **74-C-0851**

Site: 001

Miguel Palacios

Type: ROUTINE INSPECTION

Date: 27-FEB-2014

3.53(a)(1)

PRIMARY ENCLOSURES.

One rabbit cages is stacked on top of another cage . The cage moves when touched . Stacking a cage directly on top of each other is not a safe way to house rabbits as the top cage may fall .The rabbit in the top cage can not move about the cage without it moving. The cage must be moved to a more secure location to prevent injury to the animal.

CORRECT BY : 3-1-14

The inspection and exit briefing was conducted with the owner.

Prepared By: ELIZABETH PANNILL, D V M USDA, APHIS, Animal Care

Date:
28-FEB-2014

Title: VETERINARY MEDICAL OFFICER 4018

Received by Title: OWNER

Date:
28-FEB-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42746	74-C-0851	001	Miguel Palacios	27-FEB-14

Count	Scientific Name	Common Name
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000005	Total	