



## Inspection Report

---

MARYLAND REPTILE CONSERVATION CENTER  
827 PARK MILLS ROAD  
DICKERSON, MD 20842

Customer ID: **502077**

Certificate: **51-C-0119**

Site: 001

MARYLAND REPTILE  
CONSERVATION CENTER

Type: ROUTINE INSPECTION

Date: 13-MAR-2025

---

### 3.52(d)

#### Facilities, outdoor.

The 2 rabbits are housed outdoors in an elevated hutch that is positioned within a fenced area. The wooden gate that allows entrance into the area has 3 broken boards leaving a large opening in the gate. The openings are large enough that predators would be able to enter easily. The gate must be repaired to minimize the entrance of predators. Correct by March 25, 2025

This inspection and exit interview were conducted with licensee.

---

Prepared By: GLORIA MCFADDEN

USDA, APHIS, Animal Care

Date:  
21-MAR-2025

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Licensee

Date:  
21-MAR-2025



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
502077	51-C-0119	001	MARYLAND REPTILE CONSERVATION CENTER	13-MAR-2025

Count	Scientific Name	Common Name
000002	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000002	<b>Total</b>	