



Inspection Report

Derrick Verdun Rosaire Ross
Frederick Ivor Rosaire Ross
Kay Pittenger Ross
6175 279th Street East
Myakka City, FL 34251

Customer ID: **323980**

Certificate: **58-C-1065**

Site: 001

DERRICK, FREDERICK & KAY ROSS

Type: ROUTINE INSPECTION

Date: 01-AUG-2017

3.127(c)

FACILITIES, OUTDOOR.

The bear enclosure has several large holes with standing water which can cause water borne parasites and diseases. During the rainy season there is heavy rain in this area, however these holes and low line areas of standing water need to filled as needed. A suitable method shall be provided to rapidly eliminate excess water.

TO BE CORRECTED: IMMEDIATELY

This inspection and exit interview were conducted with licensee.

Prepared By: BOTELHO RICHARD, JR, A C I USDA, APHIS, Animal Care

Date:
07-AUG-2017

Title: ANIMAL CARE INSPECTOR 2030

Received by Title: LICENSEE

Date:
07-AUG-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
323980	58-C-1065	001	DERRICK, FREDERICK & KAY ROSS	01-AUG-17

Count	Scientific Name	Common Name
000003	<i>Ursus arctos syriacus</i>	SYRIAN BROWN BEAR
000003	Total	