



Inspection Report

Ohio University

Customer ID: 251

Off Of Compliance, Res & Tech Bldg 117

Certificate: 31-R-0082

Athens, OH 45701

Site: 001

OHIO UNIVERSITY

Type: ROUTINE INSPECTION

Date: 05-JUN-2014

3.125(a)

FACILITIES, GENERAL.

The primary enclosure for 2 female pigmy goats located next to the barn outside was found to be inadequate. The primary enclosure consisted of metal wire cattle fencing that were held together by plastic zip ties around metal stakes in the ground. In one section of the fence only one plastic zip tie, a couple inches from the ground, was used to fasten the 4 foot high cattle fence to a metal stake. This allowed the top 75% of the fence to be easily manipulated to create a gap several feet wide at the top and middle of the fence. Additionally, there were several areas in the fence line that were misshaped and bending outwards from the enclosure. It was mentioned by staff that coyotes have been seen on the outside of the perimeter fence. The primary enclosure is not structurally sound and does not adequately contain the animals. Furthermore, the goats could easily become trapped inside the gap in the fence, or wild predators could gain access to the goats. The primary enclosure must be structurally sound, protect the animals from injury, and contain the animals.

Corrected at time of Inspection

The inspection was conducted with Animal Care staff and the Exit interview was conducted with the Associate Director.

Prepared By: CODY YAGER, D V M USDA, APHIS, Animal Care

Date:
05-JUN-2014

Title: SUPERVISORY ANIMAL CARE SPECIALIST 6069

Received by Title: ASSOCIATE DIRECTOR

Date:
05-JUN-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
251	31-R-0082	001	OHIO UNIVERSITY	05-JUN-14

Count	Scientific Name	Common Name
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000002	Total	