



Inspection Report

Alexis Flores
11450 NE 60th St
Bronson, FL 32621

Customer ID: **6016485**
Certificate: **58-B-0717**
Site: 001
Alexis Flores

Type: ROUTINE INSPECTION
Date: 29-MAY-2024

3.130 Direct

Watering.

In the outdoor enclosure housing four coatis, there is no water present in either water bottle. When the facility representative filled the first water bottle, one coati drank continuously for over three minutes. When the second water bottle was filled, two different coatis fought over access to the water and drank from it for over two minutes. One coati was seen panting and the temperature reading from the inspector's Kestrel thermometer was 88 degrees Fahrenheit.

Inadequate access to potable water can cause discomfort and dehydration of the animals. The facility must provide potable water as often as necessary for the health and comfort of the animals.

To be corrected by May 30, 2024.

This inspection and exit interview were conducted with facility representatives.

Prepared By: KATIE PRICE
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
29-MAY-2024

Received by Title: Facility Representative

Date:
29-MAY-2024



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6016485	58-B-0717	001	Alexis Flores	29-MAY-2024

Count	Scientific Name	Common Name
000001	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000003	<i>Bubalus bubalis</i>	ASIATIC WATER BUFFALO
000003	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000005	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000007	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000004	<i>Nasua nasua</i>	SOUTH AMERICAN COATI
000023	Total	