



Inspection Report

Camp Taylor Campground L L C
85 Mount Pleasant Rd
Columbia, NJ 07832

Customer ID: **39283**

Certificate: **22-C-0119**

Site: 001

CAMP TAYLOR CAMPGROUND LLC

Type: ROUTINE INSPECTION

Date: 20-SEP-2018

3.125

FACILITIES, GENERAL.

In the southern corner of the deer enclosure, near the red building, an interior section of the primary enclosure fence has been damaged by several, large fallen trees and their branches. The trees have crushed the fence fabric down to the ground thus leaving this section of fence structurally unsound. The trees should be removed and this interior fence repaired to maintain it in good repair and to ensure structural strength.

Outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

TO BE CORRECTED BY: DECEMBER 1, 2018

This inspection and exit briefing were conducted with the facility representative.

Additional Inspectors

Gowins Jessica, Veterinary Medical Officer

Prepared By: WILLS KARLA, A C I USDA, APHIS, Animal Care

Date:
20-SEP-2018

Title: ANIMAL CARE INSPECTOR 1014

Received by Title: SENT VIA E-MAIL

Date:
20-SEP-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
39283	22-C-0119	001	CAMP TAYLOR CAMPGROUND LLC	20-SEP-18

Count	Scientific Name	Common Name
000005	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000005	Total	