



Inspection Report

Debbie L Smith
5085 Gravel Hill Rd
Dillwyn, VA 23936

Customer ID: 321332
Certificate: 52-C-0218
Site: 001
DEBBIE SMITH

Type: ROUTINE INSPECTION
Date: 04-NOV-2014

3.53(a)(1)

PRIMARY ENCLOSURES.

There are 5 older wood and wire rabbit enclosures, each housing one rabbit, which require repair or replacement. The wire flooring is detached from the wooden frame in some places and/or the wire flooring has holes in it. In order to keep the animals safe from injury and predators, and to prevent escape, the enclosures need to be repaired, or the rabbits moved to acceptable enclosures.

Correct by: 12 November 2014

3.127(d)

FACILITIES, OUTDOOR.

One patagonian cavy is being housed on the property without the required perimeter fence. The perimeter fence is required to provide additional security for the animal against entrance of unwanted people or animals, and to provide secondary containment. The perimeter fence must be installed, or a variance requested and granted by 5 January, 2015.

Note: This inspection was conducted at the new location: 5760 River Rd. W., Goochland, VA 23063

An exit interview was conducted with the licensee.

Prepared By: DORIS HACKWORTH, D V M USDA, APHIS, Animal Care

Date:
04-NOV-2014

Title: VETERINARY MEDICAL OFFICER 2029

Received by Title: OWNER

Date:
04-NOV-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321332	52-C-0218	001	DEBBIE SMITH	04-NOV-14

Count	Scientific Name	Common Name
000001	<i>Bos grunniens</i>	YAK
000001	<i>Bos primigenius indicus</i>	ZEBU
000010	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Lama glama</i>	LLAMA
000001	<i>Lama pacos</i>	ALPACA
000013	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000003	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000008	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000039	Total	