



Inspection Report

Mandy Curtiss
1698 Nesbitt Road
Attica, NY 14011

Customer ID: **500513**
Certificate: **21-A-0188**
Site: 001
Mandy Curtiss

Type: ROUTINE INSPECTION
Date: 07-JUN-2023

2.75(b)(1)

Records: Dealers and exhibitors.

Records had not been updated to include recent births and dispositions at the facility. The most recent inventory was dated in Jan 2023, and there had been multiple births at the facility that had taken place since then. Records need to be maintained to accurately reflect the animals held at the facility as well as any offspring born. The facility must correct this issue.

*****Correct by June 15, 2023

3.130

Watering.

One pen holding 5 sheep had a water receptacle that was severely rusted. There were areas where the metal edges were broken and jagged, with collections of debris. This could lead to injury of the animals and due to the inability to be completely sanitized can cause the water to become contaminated. Water receptacles need to be kept clean and sanitary and replaced when necessary. The licensee must correct this issue.

*****Correct by June 15, 2023

This inspection and exit interview were conducted with the licensee.

Prepared By: KERI LUPO

USDA, APHIS, Animal Care

Date:
11-JUN-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
11-JUN-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500513	21-A-0188	001	Mandy Curtiss	07-JUN-2023

Count	Scientific Name	Common Name
000374	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000374	Total	