



## Inspection Report

Varners Tree Farm  
746 S Trappe Rd  
Collegeville, PA 19426

Customer ID: **15335**  
Certificate: **23-C-0199**  
Site: 001  
VARNERS TREE FARM

Type: ROUTINE INSPECTION  
Date: 12-OCT-2016

### 3.53(a)(1)

#### PRIMARY ENCLOSURES.

Section 3.53(a)(1) Primary enclosures: In the enclosure housing two rabbits the ramp on the right side going up to the shelter has a screw head that is protruding up out of the horizontal wood slat (2nd from the bottom). The slat is no longer secured to the ramp on its right side and the right side of the slat has slid down to the next horizontal slat on the ramp. The rabbits may be injured on the screw head or lose slat. Correct by reattaching the slat to the ramp or remove the slat to protect the rabbits from injury. Correct by October 13, 2016.

This inspection and exit interview were conducted with the facility secretary.

Prepared By: MARY GEIB, D V M USDA, APHIS, Animal Care

Date:  
12-OCT-2016

Title: VETERINARY MEDICAL OFFICER 1021

Received by Title: SECRETARY

Date:  
12-OCT-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
15335	23-C-0199	001	VARNERS TREE FARM	12-OCT-16

Count	Scientific Name	Common Name
000004	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000003	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000013</b>	<b>Total</b>	