



## Inspection Report

Philip Chupp  
5745 Cr 800e  
Mcleansboro, IL 62859

Customer ID: **40823**  
Certificate: **33-A-0542**  
Site: 001  
OAK VALLEY KENNEL

Type: ROUTINE INSPECTION  
Date: 20-SEP-2016

### 3.1(c)(1)

#### HOUSING FACILITIES, GENERAL.

There are several (approx 10) wire primary enclosure doors that have rust on them where the paint has worn off. While several doors in the kennel have been painted, there are still several more that need work. There are 6 enclosures that have broken wires in them that need to be removed, or trimmed to prevent a pointed surface from coming in contact with the animals. There are 6 primary enclosures that have a rusty portion along the bottom of the dividing walls in the whelping room on the widow side of the building.

Rusty surfaces and broken wires can cause a weakness in the structure of the enclosure and be a possible source of injury or health issue due to the rusty areas inability of being sanitized properly.

All pointed wires should be trimmed and made safe, with holes repaired. All rusty surfaces should be repaired or replaced to provide a solid structure and sanitizable surface.

To be corrected by: October 20, 2016

### 3.11(a)(3)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There are 3 whelping pens, and 6 dog door flaps in the breeder building that have a buildup of brown dirt/grime on the wall surfaces and on both sides of the door flaps and outer wall of the run area around those flaps. While the cages are cleaned daily and sanitized every 2 weeks, there are a few dogs that require more cleaning and an increased sanitization schedule.

The buildup of dirt and grime on the walls, doors and in the feeders can be a source of possible bacteria and health issues.

The licensee must increase their cleaning and sanitization of the surfaces that come in contact with the dogs, including door flaps, feeders and walls to prevent the buildup of dirt and grime. While the minimum schedule should be at least every 2 weeks for sanitizing, it should be done more often if required to prevent the buildup on the

Prepared By: ANNMARIE COMPTON, A C I USDA, APHIS, Animal Care

Date:  
20-SEP-2016

Title: ANIMAL CARE INSPECTOR 6022

Received by Title: OWNER

Date:  
20-SEP-2016



## Inspection Report

---

surfaces by those animals that make more of a mess in their enclosure.

To be corrected by: September 25, 2016

Inspection and exit interview conducted with licensee.

---

**Prepared By:** ANNMARIE COMPTON, A C I     USDA, APHIS, Animal Care

**Date:**  
20-SEP-2016

**Title:** ANIMAL CARE INSPECTOR 6022

**Received by Title:** OWNER

**Date:**  
20-SEP-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
40823	33-A-0542	001	OAK VALLEY KENNEL	20-SEP-16

Count	Scientific Name	Common Name
000124	<i>Canis lupus familiaris</i>	DOMESTIC DOG
<b>000124</b>	<b>Total</b>	