



Inspection Report

MONICA WELDE JENNIFER WELDE THOMAS
6908 245TH ST E
MYAKKA CITY, FL 34251

Customer ID: **3031**
Certificate: **58-C-0056**
Site: TRA
BEARADISE RANCH

Type: ROUTINE INSPECTION
Date: 04-AUG-2021

2.131(d)(3)

Handling of animals.

The licensee didn't have direct control and supervision of an adult brown bear during a portion of the performance and during the time immediately after the show ended. The license exhibited two adult bears ages, 25 and 14, at the Mississippi Valley Fair. The bears were exhibited individually, where only one bear was brought out into the arena at a time with a leash. The licensee and her animal handler indicated the bears are always on a leash while inside the arena, however, the leash of one bear was removed near the conclusion of the animal show, while the bear was getting into a water tub. At the conclusion of the show, the licensee's animal handler did not reattach the leash. The bear remained in the in the exhibit arena while the animal handler was completing tasks that put her at least 20 feet away from the animal at times. An attraction with loud sounds and sound effects was located directly across from the licensee's exhibit site. While the bear (off leash) and animal handler were still in the arena, a loud sound from the adjacent attraction startled the bear, prompting it to run back to the secured exit/entrance of the arena. During this time, the public was present behind metal barrier fencing, located outside of the arena. The public was in closer proximity to the bear than the animal handler. In addition to the bear being off leash, the arena was not maintained to provide control and containment. It is comprised of 2 x 2 inch netting connected to six metal vertical poles. The vertical poles were connected at the top with horizontal metal poles. Shade cloth was attached to the top of the arena. The netting was unattached to the ground and could be easily lifted to the inspector's chest. Three strands of electric wire were present on the fence, but the required electric

Prepared By: CHAD MOORE
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
09-AUG-2021

Received by Title: Licensee

Date:
09-AUG-2021



Inspection Report

power box was not on site as per the licensee. The licensee later purchased an electrical power box and tent type stakes to secure the net to the ground. The brown bear could have potentially escaped or made contact with the public as the handler didn't have direct control of the animal during these times. Assure the animals are under the direct control and supervision of a knowledgeable and experienced handler during public exhibition.

To be corrected: Correct before the next animal exhibit.

This inspection was conducted at the Mississippi Valley Fair in Davenport, IA. with the licensee and her daughter on 8-4-21. The exit briefing was initiated via phone call on 8-9-21, but was not completed.

Additional Inspectors:

William Janecke, VETERINARY MEDICAL OFFICER

Prepared By: CHAD MOORE
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
09-AUG-2021

Received by Title: Licensee

Date:
09-AUG-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3031	58-C-0056	TRA	BEARADISE RANCH	04-AUG-2021

Count	Scientific Name	Common Name
000005	<i>Ursus arctos</i>	BROWN BEAR
000005	Total	