



## Inspection Report

---

John H Beiler  
726 Turnbull Rd  
Platteville, WI 53818

Customer ID: **44451**  
Certificate: **35-A-0321**  
Site: 001  
JOHN BEILER

Type: ROUTINE INSPECTION  
Date: 30-OCT-2015

---

### 3.31(a)(1)

#### **SANITATION.**

There was an excessive buildup of soiled bedding and debris in the corners of most enclosures by the water sipper valves and feeding areas. Guinea pigs in these areas have to walk on wet soiled bedding to eat or drink. A build up of wet and soiled areas in the enclosures could increase risk for sickness and increase odors in the building. To promote animal health; spot clean soiled areas more often to ensure that guinea pigs have dry access to feed and water.

Correct by November 1, 2015.

Exit interview conducted with facility representative.

---

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:  
30-OCT-2015

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER

Date:  
30-OCT-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44451	35-A-0321	001	JOHN BEILER	30-OCT-15

Count	Scientific Name	Common Name
002073	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
<b>002073</b>	<b>Total</b>	