



Inspection Report

Allen Feenstra
Dianne Feenstra
27373 382nd Avenue
Harrison, SD 57344

Customer ID: 12321
Certificate: 46-A-0274
Site: 001
ALLEN & DIANNE FEENSTRA

Type: ROUTINE INSPECTION
Date: 08-SEP-2016

3.1(c)(1)(ii)

HOUSING FACILITIES, GENERAL.

* Two enclosures on the north side of the main kennel have tin along the top of the dog doors. This tin is protruding outward into the enclosures causing a sharp edge. The edges are approximately eye level of the dogs in the enclosure in normal standing position. The five dogs in these two enclosures could be injured on these edges.

All enclosures must be free of sharp jagged edges that could injure the animals.

To be corrected by, 20-September-2016.

3.1(c)(1)

HOUSING FACILITIES, GENERAL.

* One enclosure the north side of the main kennel has tin along the top of the dog door. This tin is excessively rusty and cannot be properly cleaned and sanitized. Without proper cleaning and sanitization, the disease potential can be increased for the three dogs in the enclosure.

All metal surfaces must be maintained and kept free of rust. This will allow for proper cleaning and sanitization and the prevention for the potential of diseases affecting the dogs. This will maintain the structural strength of the metal surface.

To be corrected by, 25-September-2016.

This inspection and exit interview were conducted with an facility representative and Randall Wagner (ACI).

This inspeciton will be sent by e-mail.

Prepared By: RANDALL WAGNER, A C I USDA, APHIS, Animal Care

Date:
12-SEP-2016

Title: ANIMAL CARE INSPECTOR 4038

Received by Title: E-MAIL

Date:
12-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
12321	46-A-0274	001	ALLEN & DIANNE FEENSTRA	08-SEP-16

Count	Scientific Name	Common Name
000042	<i>Canis lupus familiaris</i>	DOMESTIC DOG
000042	Total	