



Inspection Report

Kyle Taitt
335 Locust
Fort Collins, CO 80524

Customer ID: **326713**
Certificate: **84-R-0086**
Site: 001
KYLE TAITT

Type: ROUTINE INSPECTION
Date: 15-JUN-2017

3.78(d) REPEAT

OUTDOOR HOUSING FACILITIES.

***The perimeter fence is approximately one foot in distance from the outer wall of the outdoor primary enclosure of the marmoset.

A perimeter fence must be of sufficient distance from the outside wall or fence of the primary enclosure to prevent physical contact between animals inside the enclosure and both animals and humans outside the perimeter fence. Such fences less than three feet in distance from the primary enclosure must be approved by the Administrator.

This inspection and exit interview were conducted with the Institutional Official and APHIS personnel.

Additional Inspectors

Tims Tanya, Assistant Director

Prepared By: ENGEL D.V.M DOMINIQUE, D V M USDA, APHIS, Animal Care

Date:
15-JUN-2017

Title: HPA GOV USER 6113

Received by Title: FACILITY REPRESENTATIVE

Date:
15-JUN-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326713	84-R-0086	001	KYLE TAITT	15-JUN-17

Count	Scientific Name	Common Name
000001	<i>Callithrix jacchus</i>	COMMON MARMOSET
000001	Total	