



## Inspection Report

---

Bridge Pts  
2509 Kennedy Circle, Bldg 125, Rm 449  
San Antonio, TX 78235

Customer ID: **321005**  
Certificate: **74-R-0199**  
Site: 001  
Bridge PTS

Type: FOCUSED INSPECTION  
Date: 23-JAN-2020

---

### 2.32(c)(3) CRITICAL

#### PERSONNEL QUALIFICATIONS.

Two pigs have died while under anesthesia in a period of three months. Both cases were the result of improper monitoring of the anesthesia machine by facility technicians. The attending veterinarian and IACUC were informed of each event and immediate corrective action was taken. This included retraining technicians in the proper use and monitoring of the anesthesia machine and adding signage to machines to ensure proper monitoring and use. The research facility must ensure that training and instruction of personnel include the proper use of anesthetics for any species used by the facility .

CORRECTED AT TIME OF THE INSPECTION

The inspection and exit briefing were conducted with the facility President and the Quality Assurance Specialist.

---

Prepared By: PANNILL ELIZABETH, D V M USDA, APHIS, Animal Care

Date:  
23-JAN-2020

Title: VETERINARY MEDICAL OFFICER 4018

Received by Title: PAUL ATTAR- PRESIDENT

Date:  
23-JAN-2020



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
321005	74-R-0199	001	Bridge PTS	23-JAN-20

No Animals were Inspected.

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	