



Inspection Report

Clyde Z Horst
N15935 Fernwall Ave
Stanley, WI 54768

Customer ID: **9222**
Certificate: **35-A-0348**
Site: 001
CLYDE HORST

Type: ROUTINE INSPECTION
Date: 23-JUN-2016

3.6(a)(2)(1) REPEAT

PRIMARY ENCLOSURES.

There is a small area of wire that has become unsecured and is sticking up in the enclosure housing dog #342. The wire is located at the transition of the wire flooring and the wooden den box. The dog could potentially get cut by the wire or get her foot caught underneath the wire. Correct by securing the wire that is sticking up in the enclosure.

Inspection and exit interview conducted with the facility representative.

End of report.

Prepared By: KIMBERLY MILLER, A C I USDA, APHIS, Animal Care

Date:
23-JUN-2016

Title: ANIMAL CARE INSPECTOR 1070

Received by Title: FACILITY REPRESENTATIVE

Date:
23-JUN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
9222	35-A-0348	001	CLYDE HORST	23-JUN-16

Count	Scientific Name	Common Name
000060	<i>Canis lupus familiaris</i>	DOG ADULT
000015	<i>Canis lupus familiaris</i>	DOG PUPPY
000075	Total	