



Inspection Report

ELLEN STROM RAY STROM
10030 STATE ROUTE 530 N E
ARLINGTON, WA 98223

Customer ID: **503797**
Certificate: **91-C-0151**
Site: 001
RAY STROM

Type: ROUTINE INSPECTION
Date: 12-AUG-2021

2.40(a)(1)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

The written Program of Veterinary Care was not available for review.

A written Program of Veterinary Care is required when the attending veterinarian is employed on a part-time basis, in order to ensure the facility has a program to follow and all animals have adequate veterinary care. The written Program of Veterinary Care in consultation with the attending veterinarian must be available for review.

To be corrected by: September 17, 2021

2.75(b)

Records: Dealers and exhibitors.

The animal records were not available for review.

Accurate and complete records enable the inspection process and provide traceability of the animals, which can help protect their welfare. The licensee must ensure that the appropriate animal records are kept and made available to APHIS officials for review. To be corrected by September 17, 2021

3.81

Environment enhancement to promote psychological well-being.

The plan on environmental enhancement for the lemurs was not available for review.

All licensees must develop, document, and follow an appropriate plan for environmental enhancement adequate to

Prepared By: DIANE FORBES

USDA, APHIS, Animal Care

Date:
23-AUG-2021

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
23-AUG-2021



Inspection Report

promote psychological well-being of nonhuman primates. The written plan must be available for review.

To be corrected by: September 17, 2021

3.125(a)

Facilities, general.

Wooden posts and shelters have protruding nails present in several areas of the facility. There are also broken wire points present on the fencing that are protruding into the enclosures in numerous areas. In addition, some of the metal posts holding the wire fencing are leaning and unstable.

The roofing on the shelter for the wallaroo and one shelter for the kangaroos and wallabies will require repair or replacement. The composite surfaces and underlying wooden surfaces are damaged and worn. The licensee plans to replace the roofs of both shelters.

Maintenance issues must be identified and addressed in a timely manner to keep the facilities structurally sound and in good repair, protect the animals from injury and to contain the animals.

To be corrected by: September 17, 2021

3.125(c)

Facilities, general.

In the food storage room, several bags of pelleted feed are open and stored directly on the floor. Some pelleted feeds are stored in metal cans, however, they do not have lids on them. There are also spilled pellets on the floor around the cans and discarded feed bags in the room.

Any open supplies of food should be stored in a leak-proof container with a lid. Proper food storage conditions minimize deterioration and assist with pest control.

To be corrected by: August 31, 2021

Prepared By: DIANE FORBES

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
23-AUG-2021

Received by Title: Licensee

Date:
23-AUG-2021



Inspection Report

3.127(d) Critical

Facilities, outdoor.

During 2020, the licensee lost 8 adult wallabies and 2 wallaby joeys due to wildlife predation. The licensee believes the predator was a bobcat(s), as he saw a bobcat in the facility with one of the wallabies. The perimeter fence did not serve as an effective barrier to protect these animals.

The perimeter fence at the facility has numerous issues. The fencing in the back southwest corner is composed of wire that is loose and unstable, and reaches several inches below the 6 foot requirement. Similarly, a fencing pole on the western side of the facility is rotted at the base and leaning inward, and pulls the perimeter fence below 6 feet.

Vegetation is also pressing down on top of the perimeter fence in several areas of the facility, reducing the height below 6 feet. In addition, there is a portion of the perimeter fence on both the southern and northern sides of the facility that are inaccessible due to heavy vegetation, and cannot be viewed. Finally, the northwestern corner of the enclosure adjacent to the house does not have a perimeter fence present. This section extends for approx. 15 feet in length.

Outdoor housing facilities must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. A perimeter fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility. The perimeter fence must be at least 6 feet in height.

The licensee must develop a reasonable plan with timelines to address the perimeter fence issues by September 17, 2021.

This inspection and exit interview were conducted with the licensee.

Prepared By: DIANE FORBES
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
23-AUG-2021

Received by Title: Licensee

Date:
23-AUG-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503797	91-C-0151	001	RAY STROM	12-AUG-2021

Count	Scientific Name	Common Name
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000001	<i>Lama glama</i>	LLAMA
000002	<i>Lama pacos</i>	ALPACA
000015	<i>Osphranter rufus</i>	RED KANGAROO
000004	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000001	<i>Osphranter bernardus</i>	BERNARD'S WALLAROO / BLACK WALLAROO
000006	<i>Lemur catta</i>	RING-TAILED LEMUR
000033	Total	