



Inspection Report

Peter Weber
1912 Martinsburg Pike
Winchester, VA 22603

Customer ID: **6021296**
Certificate: **52-C-0316**
Site: 001
Peter Weber

Type: ROUTINE INSPECTION
Date: 20-AUG-2025

3.150(c)(3)

Facilities, general.

In retail cage #2, the nest box has exposed nails and a jagged edges from chewing by a bird. Structures in bird enclosures that are not kept in good repair can lead to harm or injury to the birds.

Interior surfaces and surfaces that come in contact with birds must be free of jagged edges or sharp points that could injure the birds.
Correct by 9/3/25

This inspection and exit interview were conducted with the facility representative.

Prepared By: GLORIA MCFADDEN
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
02-SEP-2025

Received by Title: Facility Representative

Date:
02-SEP-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6021296	52-C-0316	001	Peter Weber	20-AUG-2025

Count	Scientific Name	Common Name
000010	<i>Ara, Anodorhynchus, Primolius, Diopsittaca</i> <i>spp hybrid</i>	MACAW HYBRID
000001	<i>Anodorhynchus hyacinthinus</i>	HYACINTH MACAW
000009	<i>Ara ararauna</i>	BLUE-AND-YELLOW MACAW / BLUE-AND-GOLD MACAW
000025	<i>Ara glaucogularis</i>	BLUE-THROATED MACAW
000001	<i>Ara militaris</i>	MILITARY MACAW
000011	<i>Ara macao</i>	SCARLET MACAW
000005	<i>Ara rubrogenys</i>	RED-FRONTED MACAW
000001	<i>Ara ambiguus</i>	GREAT GREEN MACAW / BUFFON'S MACAW
000063	Total	