



Inspection Report

Lake Tahoe Wildlife Care
PO Box 18530
South Lake Tahoe, CA 96151

Customer ID: **6019921**
Certificate: **93-C-1202**
Site: 001
Lake Tahoe Wildlife Care

Type: ROUTINE INSPECTION
Date: 13-AUG-2025

3.162(b)(1)

Primary enclosures used to transport live birds.

The transport carriers for both birds only had two small vents, one on each opposing side, which did not comprise 16% of the surface area of the wall. There must be ventilation openings located on two vertical walls of the primary enclosure that are at least 16% of the surface area of such wall or ventilation openings on all four walls of the primary enclosure that are at least 8% of the total surface area of each such wall.

Correct by 31 August 2025

3.162(b)(2)

Primary enclosures used to transport live birds.

Neither of the enclosures for the birds had the required projecting rims or other devices on the exterior of the outside walls with any ventilation openings. The projecting rims or similar devices must be large enough to provide a minimum air circulation space of 0.75 inches between the primary enclosure and anything the enclosure is adjacent to, unless 90% or greater of the surface area of the enclosure wall is open.

Correct by 31 August 2025

This inspection and exit interview were conducted with the manager.

Prepared By: KATHARINE FRANK
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
19-AUG-2025

Received by Title: Manager

Date:
19-AUG-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6019921	93-C-1202	001	Lake Tahoe Wildlife Care	13-AUG-2025

Count	Scientific Name	Common Name
000001	<i>Erethizon dorsatum</i>	NORTH AMERICAN PORCUPINE
000001	<i>Buteo jamaicensis</i>	RED-TAILED HAWK
000001	<i>Falco sparverius</i>	AMERICAN KESTREL
000003	Total	