



## Inspection Report

Philip G Smith  
P.O. Box 309  
Piru, CA 93040

Customer ID: **8609**  
Certificate: **93-C-0657**  
Site: 001  
PHILIP SMITH

Type: ROUTINE INSPECTION  
Date: 28-APR-2014

### 3.53(a) DIRECT

#### PRIMARY ENCLOSURES.

Rabbit enclosures are not structurally sound and maintained in good repair. Wire floors have holes up to 4 inches wide. Wire mesh on walls and tops have broken ends extending into enclosures, and holes and gaps. Solid walls have holes, are chewed, and have peeling paint. Failure to maintain primary enclosures in good repair can lead to injury to rabbits, including falling through floors, puncture wounds from wires, and trapping limbs in holes and gaps. A system of maintenance and repair must be in place.

CORRECT BY 5-8-14

### 3.55

#### WATERING.

Rabbits: water bottles hanging on cages had a heavy buildup of algae, to the point that it was not possible to see the water in the bottles. All watering receptacles shall be sanitized when dirty, and at least once every 2 weeks. The level of buildup of algae indicated these bottles had not been sanitized when dirty, or in the last two weeks.

CORRECT BY 5-2-14

### 3.56

#### SANITATION.

Rabbit enclosures have a buildup of excreta, especially in corners and along edges. Primary enclosures shall be kept reasonably free of excreta, hair, cobwebs and other debris by periodic cleaning. The cleaning schedule for these enclosures is inadequate, as evidenced by the buildup present. Additionally, several enclosures have peeling paint and raw wood that would prevent sanitation as required every 30 days. A system of cleaning and sanitation must be in place.

CORRECT BY 5-5-14

### 3.125(a) DIRECT

#### FACILITIES, GENERAL.

- Water Buffalo enclosure: large water trough with rusted out bottom present in enclosure, laying on its side. Rusted

Prepared By: JEANNE LORANG, A C I USDA, APHIS, Animal Care

Date:  
01-MAY-2014

Title: ANIMAL CARE INSPECTOR 5008

Received by Title: SENT BY EMAIL

Date:  
01-MAY-2014



## Inspection Report

---

out holes in the bottom of the trough could be hazardous to an animal with horns, such as the water buffalo.

Enclosures must be maintained in good repair.

CORRECTED DURING INSPECTION

- Lower level goat / sheep pen: at time of inspection, a goat was trapped in the large feeder at the back of the pen, with its leg caught in the metal grate, and had to be assisted in being released. Employee stated that this particular animal has done this repeatedly. Enclosure must be maintained to protect the animals from injury. The feeder design must prevent animals from being trapped.

CORRECT BY 5-2-14

### 3.127(a) DIRECT

#### FACILITIES, OUTDOOR.

- Domestic pig enclosure on upper level: 4 full grown pigs in this enclosure have no shelter from sun. Temperatures in this area this week are expected to exceed 95 degrees F. When sunlight is likely to cause overheating or discomfort of the animals, sufficient shade by natural or artificial means shall be provided to allow all animals kept outdoors to protect themselves from direct sunlight.

CORRECT BY: 5-2-14

- Lower level goat / sheep pen, housing mothers and kids: the amount of shade present is not adequate for the number of animals in the pen. All animals could not fit in shade area, and the crowded conditions in the shade area reduce the effectiveness of the shade cooling for those animals that are under the shade structure. When sunlight is likely to cause overheating or discomfort of the animals, sufficient shade by natural or artificial means shall be provided to allow all animals kept outdoors to protect themselves from direct sunlight.

CORRECT BY: 5-5-14

- Corral housing zebras, camels, and cows: this enclosure does not have adequate shade for the number of animals housed in the enclosure at time of inspection. One corner is shaded by trees, and occupied by the three camels. Other animals have no shade available to them. When sunlight is likely to cause overheating or discomfort of the animals, sufficient shade by natural or artificial means shall be provided to allow all animals kept outdoors to protect themselves from direct sunlight.

CORRECT BY 5-5-14

### 3.130 REPEAT

#### WATERING.

Reindeer enclosure: water present is opaque from dirt and algae. Water must be potable, and receptacles must be clean and sanitary. Opaque water is not potable, and may conceal items in receptacle. A system of routine cleaning must be in place to ensure potable water is available.

---

Prepared By: JEANNE LORANG, A C I USDA, APHIS, Animal Care

Date:  
01-MAY-2014

Title: ANIMAL CARE INSPECTOR 5008

Received by Title: SENT BY EMAIL

Date:  
01-MAY-2014



## Inspection Report

---

ORIGINAL CORRECTION DATE OF 5-7-10, ALSO IDENTIFIED ON INSPECTION OF 11-2-12

### 3.131(a)

#### **SANITATION.**

- Llama / Alpaca pen: heavy buildup of excreta present. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. The current cleaning schedule is not adequate for the number of animals in the pen.

CORRECT BY: 5-2-14

- Pygmy goat pen housing 2 goats identified as belonging to Cody Smith had a buildup of excreta present. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors.

CORRECT BY: 5-2-14

### 3.131(c)

#### **SANITATION.**

Barn fridge: there is a buildup of food debris and grime in the bottom of the fridge. Rubber parts from the milking machine are laying in the bottom of the fridge, and could be contaminated by food debris and grime. Facilities shall be kept clean to facilitate required husbandry practices.

CORRECT BY: 5-2-14

### 3.133

#### **SEPARATION.**

Zebras and camels, identified by facility employees as belonging to Cody Smith, were housed in the same pen at time of inspection, along with several cows and calves. One zebra was observed repeatedly acting in an aggressive manner towards the three camels, biting at them, and pushing them backwards into a corner of the pen. Animals housed in the same primary enclosure must be compatible. Animals shall not be housed near animals that interfere with their health or cause them discomfort.

CORRECT BY 5-2-14

Exit interview conducted with licensee.

---

**Prepared By:** JEANNE LORANG, A C I USDA, APHIS, Animal Care

**Date:**  
01-MAY-2014

**Title:** ANIMAL CARE INSPECTOR 5008

**Received by Title:** SENT BY EMAIL

**Date:**  
01-MAY-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8609	93-C-0657	001	PHILIP SMITH	28-APR-14

Count	Scientific Name	Common Name
000006	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000001	<i>Bubalus bubalis</i>	ASIATIC WATER BUFFALO
000004	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000003	<i>Canis lupus familiaris</i>	DOG ADULT
000080	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000003	<i>Lama glama</i>	LLAMA
000003	<i>Lama pacos</i>	ALPACA
000033	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000071	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000004	<i>Rangifer tarandus</i>	REINDEER
000003	<i>Sus scrofa</i>	WILD BOAR
000008	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000221</b>	<b>Total</b>	