



## Inspection Report

Cathy Speer  
106 W. Old South  
Milton, IA 52570

Customer ID: **36573**  
Certificate: **42-A-1238**  
Site: 001  
CATHY SPEER

Type: ROUTINE INSPECTION  
Date: 24-AUG-2015

---

### 3.1(c)(2) REPEAT

#### HOUSING FACILITIES, GENERAL.

Maintenance and replacement of surfaces.

The surface of the wooden flooring in five outdoor enclosures containing seven dogs is worn, cracked and absorbing liquid. The licensee stated the flooring in the five enclosures have not been sealed.

The worn surfaces cannot be properly cleaned and sanitized. This can create a disease hazard and affect the health and well being of the dogs. The licensee must maintain all surfaces in the housing facility on a regular basis. Surfaces of housing facilities including houses, dens, and other furniture-type fixtures and objects within the facility that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

### 3.1(c)(3) REPEAT

#### HOUSING FACILITIES, GENERAL.

Cleaning.

Four of the enclosures within the outdoor housing facility, containing six dogs, have an excessive build-up of fur, excreta and/or soiled bedding within the enclosures. There is more than a day worth of animal waste that has accumulated along the edges of the enclosures that are on the ground.

Not cleaning and removing animal waste daily can create disease hazards and affects the health and well-being of the dogs. All enclosures must be spot cleaned daily to remove excreta, soiled bedding, food waste, hair, etc. from the floor, wire fencing, and inside of shelters.

### 3.6(a)(2)(1) REPEAT

#### PRIMARY ENCLOSURES.

The north outdoor enclosure containing two adult Shiba Inu dogs has sharp wire points along the bottom southeast

---

Prepared By: CORBIN RANSLEM, A C I USDA, APHIS, Animal Care

Date:  
24-AUG-2015

Title: ANIMAL CARE INSPECTOR 6079

Received by Title: LICENSEE

Date:  
24-AUG-2015



## Inspection Report

---

corner of the enclosure that are protruding inward. The south outdoor enclosure containing an adult Samoyed and Shiba Inu has a hole in the coated wire flooring that is large enough for a dog's foot to fall through. The wire is broken and bent creating sharp points the dogs can come into contact with. This can create a hazardous situation for the dogs. The licensee must ensure that there are no sharp points within the enclosures that could injure the animals. All of these items were corrected at the time of inspection.

### 3.11(d) REPEAT

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Pest control.

An excessive number of flies are present in and around all of the outdoor enclosures affecting 24 dogs. There is one pest control device available for the entire outdoor housing area. The device is sitting adjacent to one enclosure, however there are still an excessive number of flies within and surrounding the enclosures in the outdoor housing area. An excessive number of pests can lead to disease hazards. An effective program for the control of insects and external parasites affecting dogs must be established and maintained so as to promote the health and well-being of the animals and reduce contamination by pests in animal areas.

The male Samoyed (microchip 151336624A) listed under 2.40 (b)(2) on the June 30, 2015 inspection report has been corrected.

Inspection and exit interview conducted with the licensee and Heather Cole, VMO.

#### Additional Inspectors

Cole Heather, Supervisory Animal Care Specialist

---

Prepared By: CORBIN RANSLEM, A C I USDA, APHIS, Animal Care

Date:  
24-AUG-2015

Title: ANIMAL CARE INSPECTOR 6079

Received by Title: LICENSEE

Date:  
24-AUG-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
36573	42-A-1238	001	CATHY SPEER	24-AUG-15

Count	Scientific Name	Common Name
000027	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000035</b>	<b>Total</b>	