



Inspection Report

Out of Africa Wildlife Park, LLC
4020 N. Cherry Rd
Camp Verde, AZ 86322

Customer ID: **44384**
Certificate: **86-C-0095**
Site: 001

Out of Africa Wildlife Park, LLC

Type: ROUTINE INSPECTION
Date: 26-AUG-2025

2.131(c)(1)

Handling of animals.

The facility is not ensuring there is sufficient distance and/or barriers between two giraffes and the general viewing public. Two giraffes are fed their diet and mineral block in containers directly on top of the enclosure fence by the public walkway. The enclosure fence measures 5 feet 8 inches high at the lowest point. The public barrier that is approximately 3 feet tall is located 5 feet 2 inches away from the enclosure fence. When the animals are at their feeding station, the inspector standing at the public barrier would be able to make contact with the giraffes if they lowered their heads over the enclosure fence. A giraffe did have its neck erect over the enclosure fence. A facility representative stated it is not intended for the public to touch or feed the animals at this location. There are no dedicated employees at the giraffe feeding station to monitor activity. Animals and the public are at risk of harm during handling activities of animals, such as feeding, where animals may make contact with the public without facility supervision due to inadequate barriers.

During public exhibition, any animal must be handled so there is minimal risk of harm to the animal and to the public, with sufficient distance and/or barriers between the animal and the general viewing public so as to assure the safety of animals and the public.

Correct by 19 September 2025.

3.125(a)

Facilities, general.

The fence for the Safari enclosure is in disrepair along the main public walkway. The wire grid fence is sagging and bowed out in between wooden posts. Some of the posts are leaning towards the public walkway at an approximately 15-degree angle. These defects appear to be due to soil erosion and animal activity. The lowest fence height measured was 5 feet 8 inches tall. This enclosure houses giraffe, zebra, watusi, Asiatic water buffalo, roan antelope, nilgai and waterbuck. A facility representative states there are materials available and plans to upgrade and move the enclosure fence line further away from the public barrier. At time of inspection, work had not yet begun on this project. Failure to maintain housing facilities in good repair can affect the structural integrity of the enclosures which may lead to the injury or escape of the animals such as large exotic hoof stock and megaherbivores contained in them.

The facility must be constructed of such material and of such strength as appropriate for the animals involved. The

Prepared By: MADELINE ANNA

USDA, APHIS, Animal Care

Date:

05-SEP-2025

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

05-SEP-2025



Inspection Report

outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

Correct by 31 October 2025.

This inspection and exit interview were conducted with the facility representatives.

Prepared By: MADELINE ANNA

USDA, APHIS, Animal Care

Date:
05-SEP-2025

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
05-SEP-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44384	86-C-0095	001	Out of Africa Wildlife Park, LLC	26-AUG-2025

Count	Scientific Name	Common Name
000002	<i>Callithrix jacchus</i>	COMMON MARMOSET
000004	<i>Canis lupus</i>	GRAY WOLF / GREY WOLF / TIMBER WOLF
000002	<i>Panthera pardus</i>	LEOPARD
000010	<i>Panthera leo</i>	LION
000002	<i>Puma concolor</i>	PUMA / MOUNTAIN LION / COUGAR
000011	<i>Panthera tigris</i>	TIGER
000002	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000005	<i>Hystrix cristata</i>	AFRICAN CRESTED PORCUPINE
000003	<i>Addax nasomaculatus</i>	ADDAX
000009	<i>Connochaetes taurinus</i>	BRINDLED WILDEBEEST
000010	<i>Hippotragus niger</i>	SABLE ANTELOPE
000015	<i>Taurotragus oryx</i>	COMMON ELAND
000015	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000007	<i>Ammotragus lervia</i>	BARBARY SHEEP
000004	<i>Boselaphus tragocamelus</i>	NILGAI
000006	<i>Bubalus bubalis</i>	ASIATIC WATER BUFFALO
000004	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000002	<i>Giraffa camelopardalis</i>	GIRAFFE
000001	<i>Crocuta crocuta</i>	SPOTTED HYENA
000001	<i>Pecari tajacu</i>	COLLARED PECCARY
000001	<i>Ceratotherium simum</i>	WHITE RHINOCEROS
000002	<i>Choloepus didactylus</i>	LINNAEUS'S TWO-TOED SLOTH
000001	<i>Ursus arctos horribilis</i>	GRIZZLY BEAR
000006	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Eulemur fulvus</i>	BROWN LEMUR
000001	<i>Mephitis mephitis</i>	STRIPED SKUNK
000002	<i>Procyon lotor</i>	RACCOON
000001	<i>Dama dama</i>	FALLOW DEER
000007	<i>Oryx dammah</i>	SCIMITAR-HORNED ORYX
000002	<i>Phacochoerus africanus</i>	WARTHOG
000003	<i>Kobus ellipsiprymnus</i>	COMMON WATERBUCK
000001	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000002	<i>Hippotragus equinus</i>	ROAN ANTELOPE
000002	<i>Struthio camelus</i>	COMMON OSTRICH
000001	<i>Ara ararauna</i>	BLUE-AND-YELLOW MACAW / BLUE-AND-GOLD MACAW
000002	<i>Dromaius novaehollandiae</i>	EMU
000001	<i>Numida meleagris</i>	DOMESTIC GUINEAFOWL / HELMETED GUINEAFOWL / PEARL HEN
000002	<i>Ara macao</i>	SCARLET MACAW
000005	<i>Streptopelia capicola</i>	BARBARY DOVE / RINGED TURTLE-DOVE / RINGNECK DOVE
000001	<i>Tauraco erythrolophus</i>	RED-CRESTED TURACO
000002	<i>Pavo cristatus</i>	INDIAN PEAFOWL / COMMON PEAFOWL / PEAHEN / PEACOCK
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000003	<i>Bos taurus africanus</i>	ANKOLE-WATUSI CATTLE
000166	Total	



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 44384
Inspection Date: 26-Aug-2025

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44384	86-C-0095	001	Out of Africa Wildlife Park, LLC	26-AUG-2025