



Inspection Report

Hunsader Farms Inc
5500 C R 675
Bradenton, FL 34211

Customer ID: **38766**

Certificate: **58-C-1107**

Site: 001

HUNSADER FARMS INC

Type: ROUTINE INSPECTION

Date: 08-OCT-2014

3.125(a)

FACILITIES, GENERAL.

The water spicket for the pigs has been damaged and there is water streaming into the rear of the enclosure. This water spicket needs to be repaired or replaced so this area in the pen does not have standing water. There are other areas in the pig enclosure that are mudded, however there needs to be an area where the soil remains dry.

The outdoor housing facilities shall be maintained in good repair to protect the animals from injury and or illness.

TO BE CORRECTED BY: OCTOBER 10, 2014.

Prepared By: RICHARD BOTELHO, JR, A C I USDA, APHIS, Animal Care

Date:
10-OCT-2014

Title: ANIMAL CARE INSPECTOR 2030

Received by Title: _____

Date:
10-OCT-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
38766	58-C-1107	001	HUNSADER FARMS INC	08-OCT-14

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000015	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Dama dama</i>	FALLOW DEER
000002	<i>Lama glama</i>	LLAMA
000005	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000024	Total	