



Inspection Report

Janel Ashburn
291 Scrubby Hill Rd
Selinsgrove, PA 17870

Customer ID: **329972**
Certificate: **23-C-0356**
Site: 001
JANEL ASHBURN

Type: ROUTINE INSPECTION
Date: 12-OCT-2016

3.27(b)

FACILITIES, OUTDOOR.

Three guinea pigs were housed in a large multilevel enclosure with nesting box outside the barn. The licensee stated that she was unaware guinea pigs could not be housed outdoors and that they provided a fan during the summer months. The temperature had dropped below 40 degrees Fahrenheit the last two nights but the animals were active and appeared healthy at the time of inspection. Exposing guinea pigs to extremes and fluctuations in temperature can make them more susceptible to disease. Correct by moving the animals indoors and if planning to house them outside in good weather in the future, obtain prior approval for such outdoor housing from the Deputy Administrator. Correct by 13 October 2016.

This inspection and exit interview were conducted with the director.

Prepared By: DAVID OELBERG, D V M USDA, APHIS, Animal Care

Date:
12-OCT-2016

Title: VETERINARY MEDICAL OFFICER 1043

Received by Title: DIRECTOR

Date:
12-OCT-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
329972	23-C-0356	001	JANEL ASHBURN	12-OCT-16

Count	Scientific Name	Common Name
000001	<i>Atelerix albiventris</i>	HEDGEHOG
000002	<i>Bos primigenius indicus</i>	ZEBU
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000015	<i>Capra hircus</i>	DOMESTIC GOAT
000006	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000001	<i>Lama glama</i>	LLAMA
000004	<i>Lama pacos</i>	ALPACA
000006	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000003	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000005	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000044	Total	