



## Inspection Report

Bertram W Fuhr  
231 Fresh Pond Road  
Jamesburg, NJ 08831

Customer ID: **2044**  
Certificate: **22-A-0029**  
Site: 001  
BERTRAM FUHR

Type: ROUTINE INSPECTION  
Date: 31-MAR-2015

### 3.53(a)(4)

#### PRIMARY ENCLOSURES.

Rabbit enclosures numbered 5-3, 8-2, 8-3, and 8-4 each have holes in the corners of the wire floors. These holes, which are approximately 2.5 inches to 3 inches across, have developed due to rust and urine, thus leaving openings with protruding, sharp points. The openings, as well as the jagged, sharp edges, could cause injury to the rabbits housed therein.

The damaged flooring, in these four enclosures, must be replaced to maintain structural strength and to protect the rabbits' feet and legs from injury.

All enclosures floors should be assessed to determine if rust damage has begun.

TO BE CORRECTED BY: APRIL 21, 2015

### 3.56(a)(1)

#### SANITATION.

There is an excessive accumulation of rabbit hair present on the tops, sides and hanging beneath the rows of hanging wire enclosures. Additionally, the nest box for enclosure 8-1 is full of excreta and hay. Excessive accumulations of hair and fecal material must be removed on a more frequent basis to prevent such accumulations and to reduce odors and disease hazards for the health of the rabbits.

TO BE CORRECTED BY: APRIL 6, 2015

Prepared By: KARLA WILLS, A C I USDA, APHIS, Animal Care

Date:  
31-MAR-2015

Title: ANIMAL CARE INSPECTOR 1014

Received by Title: OWNER

Date:  
31-MAR-2015



## Inspection Report

---

### 3.56(c)

#### **SANITATION.**

(c) Housekeeping. Premises (buildings and grounds)

Excessive amounts of rabbit hair and cobwebs are present on the rear and side walls of the room housing the rabbits. Accumulations of hair and cobwebs must be removed to facilitate the prescribed husbandry practices.

TO BE CORRECTED BY: APRIL 15, 2015

The exit briefing was conducted with the facility representative.

NOTE: A routine maintenance program for the repair and/or replacement of wire flooring should be established so that early signs of enclosure damage can be addressed before they become problematic.

---

**Prepared By:** KARLA WILLS, A C I USDA, APHIS, Animal Care

**Date:**  
31-MAR-2015

**Title:** ANIMAL CARE INSPECTOR 1014

**Received by Title:** OWNER

**Date:**  
31-MAR-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2044	22-A-0029	001	BERTRAM FUHR	31-MAR-15

Count	Scientific Name	Common Name
000034	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
<b>000034</b>	<b>Total</b>	