



Inspection Report

BLUE RIDGE ZOO SOCIETY OF V A
PO BOX 8159
ROANOKE, VA 24014

Customer ID: **2467**

Certificate: **52-C-0034**

Site: 001

BLUE RIDGE ZOO SOCIETY OF V
A

Type: ROUTINE INSPECTION

Date: 20-OCT-2022

3.125(a)

Facilities, general.

The facility has several areas in disrepair.

--In the pig and goat enclosure there is a concrete footer surrounding the barn which has cracked and lost large areas of concrete. This has created a ledge with a 3-4 inch drop down onto dirt. Uneven flooring surfaces can lead to animal injuries, especially in breeds such as Tennessee Fainting Goats.

--In the indoor holding of the black bear enclosure there are several areas of concrete with paint flaking off the surface. Directly adjacent to the primary shift door to the outside, there is a large area of about 4-5 inches that is actively peeling paint with pieces hanging off the wall. There are a few other affected areas throughout indoor holding, primarily around the shift doors and at the level of some furniture structures.

-- The outdoor portion of the racoon enclosure has areas of overlying concrete flaking off by the shift door. Directly to the bottom right of the shift door, pieces of concrete about 1-2" in size were easily broken off when touched by the inspector.

--The roof of the indoor raccoon enclosure is partially accessible from the outside enclosure and has several roof tiles that are damaged. The tiles have uneven edges and appear to have lost parts of the top layer.

-- The ceiling in the otter enclosure has a single panel that has become unattached at the bottom right corner.

Facilities that are in disrepair with flaking paint, concrete, or damaged surfaces can pose an ingestion hazard to the

Prepared By: RACHEL PEREZ-BAUM

USDA, APHIS, Animal Care

Date:

21-OCT-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

21-OCT-2022



Inspection Report

animals as well as cause potential injury or other illnesses.

Correct by November 25, 2022 by ensuring all housing facilities are structurally sound and maintained in good repair to protect the animals from injury and to contain the animals.

This inspection and exit interview were conducted with facility representatives.

Additional Inspectors:

Brianna Waldrop, VETERINARY MEDICAL OFFICER

Prepared By: RACHEL PEREZ-BAUM
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
21-OCT-2022

Received by Title: Facility Representative

Date:
21-OCT-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2467	52-C-0034	001	BLUE RIDGE ZOO SOCIETY OF V A	20-OCT-2022

Count	Scientific Name	Common Name
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000005	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Uncia uncia</i>	SNOW LEOPARD
000003	<i>Otocolobus manul</i>	PALLAS'S CAT
000001	<i>Hystrix indica</i>	INDIAN CRESTED PORCUPINE
000002	<i>Ailurus fulgens</i>	RED PANDA
000002	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000006	<i>Chinchilla lanigera</i>	CHINCHILLA
000003	<i>Rattus norvegicus</i>	NORWAY RAT / LAB RAT (COMMON RESEARCH/PET VARIETY)
000005	<i>Canis rufus</i>	RED WOLF
000001	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000001	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000001	<i>Lynx lynx</i>	NORTHERN/EURASIAN LYNX
000002	<i>Aonyx cinereus</i>	ORIENTAL SMALL-CLAWED OTTER
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000002	<i>Procyon lotor</i>	RACCOON
000001	<i>Elaphodus cephalophus</i>	TUFTED DEER
000001	<i>Sus scrofa</i>	WILD BOAR
000040	Total	