



## Inspection Report

---

James Mc Daniel Jr  
5745 Lincoln Hwy  
York, PA 17406

Customer ID: **8967**

Certificate: **23-C-0224**

Site: 001

JIM MACK'S ICE CREAM

Type: ROUTINE INSPECTION

Date: 17-OCT-2014

---

### 3.131(a)

#### SANITATION.

Two Cracks were present in the Bear enclosure concrete floor. The cracks have advanced so that they have lost concrete and are wide enough to contain significant debris. These cracks need to be filled to assure that the enclosure can be adequately cleaned and sanitized. That will minimize disease hazards to the animal from contact with accumulated debris. Correct by: 21 November 2014

Exit interview conducted with facility Owner.

---

Prepared By: DAVID OELBERG, D V M USDA, APHIS, Animal Care

Date:  
17-OCT-2014

Title: VETERINARY MEDICAL OFFICER 1043

Received by Title: OWNER

Date:  
17-OCT-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8967	23-C-0224	001	JIM MACK'S ICE CREAM	17-OCT-14

Count	Scientific Name	Common Name
000007	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Lama glama</i>	LLAMA
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
<b>000012</b>	<b>Total</b>	