

United States Department of Agriculture Animal and Plant Health Inspection Service

JO MALLEY **2016090000755430** Insp_id

Inspection Report

UNIVERSITY OF MICHIGAN

425 Victor Vaughan 2054 1111 E. Catherine Street ANN ARBOR, MI 48109 Customer ID: 109

Certificate: 34-R-0001

Site: 002

ANN ARBOR CAMPUS

Type: ROUTINE INSPECTION

Date: 13-DEC-2021

2.33(b)(5)

Attending veterinarian and adequate veterinary care.

A hog undergoing a procedure was pre-medicated with expired xylazine. The staff responsible for the administration of medications confirmed that the expired medications were used. The use of expired medications could lead to an inadequate level of sedation. The facility must ensure adequate pre-procedural care in accordance with current established veterinary medical procedures.

To be corrected by 12/24/2021

This inspection and exit interview were conducted with facility representatives.

Prepared By: JUSTINE O MALLEY

USDA, APHIS, Animal Care

16-DEC-2021

Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Attending Veterinarian

Date: 16-DEC-2021



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 109

Inspection Date: 13-Dec-2021

Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|------------------|-------------|
| 109 | 34-R-0001 | 002 | ANN ARBOR CAMPUS | 13-DEC-2021 |

| Count | Scientific Name | Common Name |
|--------|------------------------|---|
| 000343 | Oryctolagus cuniculus | DOMESTIC RABBIT / EUROPEAN RABBIT |
| 000009 | Sus scrofa domestica | DOMESTIC PIG / POTBELLY PIG / MICRO PIG |
| 000084 | Ovis aries aries | SHEEP INCLUDING ALL DOMESTIC BREEDS |
| 000002 | Arvicanthis niloticus | NILE RAT |
| 000001 | Mesocricetus auratus | SYRIAN / GOLDEN HAMSTER |
| 000031 | Microtus ochrogaster | PRAIRIE VOLE |
| 000005 | Macaca mulatta | RHESUS MACAQUE |
| 000014 | Cavia porcellus | DOMESTIC GUINEA PIG |
| 000002 | Canis lupus familiaris | DOG ADULT |
| 000491 | Total | |