



## Inspection Report

Lee Stadel  
2052 900 Ave  
Hope, KS 67451

Customer ID: **44753**  
Certificate: **48-A-2091**  
Site: 001  
Lee Stadel

Type: ROUTINE INSPECTION  
Date: 25-NOV-2014

### 2.40(b)(2) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The facility is using a product called Permethrin II for fly control on the dogs. This product is not documented on the program of veterinary care for use against ectoparasites. The licensee does not have any other directions for its dilution and use in dogs that have been approved by the attending veterinarian. In addition, while the licensee is using vaccines and deworming medication in puppies, the program of veterinary care does not have a documented plan for vaccinations or use of deworming medications in puppies. The use of medications and vaccines without directions from the attending veterinarian can lead to incorrect use and unintended side effects. The licensee must ensure that all medications are used in a manner consistent with the provision of adequate veterinary care to protect the health of the animals and ensure drugs are used in an appropriate manner. The applicant must ensure that all medication used at the facility have directions for correct use from a veterinarian. To be corrected by 1 January 2015.

### 3.1(c)(2)

#### HOUSING FACILITIES, GENERAL.

There are three "igloo-type" shelter structures in that have chewed edges. The chewed areas on these structures are deeply pitted and with dirt in the pitted areas. The chewed edges are difficult to sanitize and could play a role in disease transmission. The licensee must maintain all surfaces on a regular basis. Surfaces of housing facilities, including houses and dens, that cannot be readily cleaned and sanitized, must be replaced when worn or soiled. To be corrected by 1 Jan 2015.

### 3.6(a)(2)(1)

#### PRIMARY ENCLOSURES.

There are two pieces of bent and up-turned metal lining a wood support beam in the last enclosure. The edges of this metal are jagged in appearance. Jagged metal edges can cause injury to the dogs. The licensee must ensure that all primary enclosures are maintained so that they have no sharp points or edges that could injure the dogs. To be corrected by 28 November 2014.

Prepared By: MARGARET SHAVER, D V M USDA, APHIS, Animal Care

Date:  
26-NOV-2014

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: FACILITY REPRESENTATIVE

Date:  
26-NOV-2014



## Inspection Report

---

The adult, female boxer with tag number 5 that was cited under 2.40 b 2 on the inspection dated 10 Dec 2013 was evaluated by the attending veterinarian and received care.

The inspection and exit interview were conducted with the facility representative.

---

**Prepared By:** MARGARET SHAVER, D V M      USDA, APHIS, Animal Care

**Date:**  
26-NOV-2014

**Title:** VETERINARY MEDICAL OFFICER 6034

**Received by Title:** FACILITY REPRESENTATIVE

**Date:**  
26-NOV-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
44753	48-A-2091	001	Lee Stadel	25-NOV-14

Count	Scientific Name	Common Name
000016	<i>Canis lupus familiaris</i>	DOG ADULT
<b>000016</b>	<b>Total</b>	