



## Inspection Report

Lester Martin  
1262 E Adario W Road  
Greenwich, OH 44837

Customer ID: **324171**  
Certificate: **31-A-0403**  
Site: 001  
LESTER MARTIN

Type: ROUTINE INSPECTION  
Date: 29-AUG-2017

### 3.1(c)(1)

#### HOUSING FACILITIES, GENERAL.

The surfaces at the entrance of the walkway area in front of rows 1 through 4 of the breeding room are not constructed of materials that will allow them to be readily sanitized. Interior surfaces and any surfaces that come in contact with the dogs must be constructed in a manner that will allow them to be sanitized. The surface paint has started to chip away from the floor and is leaving 2 large areas that can't be properly sanitized. The licensee must replace or repair these two surface areas to allow for proper sanitation to protect the health of the 72 adult dogs. Correct by 9-14-2017

### 3.11(c)

#### CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

3 screened in windows of the whelping room are covered in dust, dirt, hair and debris. Premises including buildings must be kept clean to facilitate adequate husbandry practices required per this section of the regulations. A dirty whelping room with windows open with screens covered in dirt can cause veterinary care problems to the puppies and mothers housed in this area. The licensee must use a soap or detergent and clean off the 3 dirty screens. Correct by 8-31-2017

(The exit interview was conducted with the licensee)

Prepared By: KOVACH JOSEPH, A C I USDA, APHIS, Animal Care

Date:  
29-AUG-2017

Title: ANIMAL CARE INSPECTOR 1024

Received by Title: LICENSEE

Date:  
31-AUG-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324171	31-A-0403	001	LESTER MARTIN	29-AUG-17

Count	Scientific Name	Common Name
000083	<i>Canis lupus familiaris</i>	DOG ADULT
000055	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000138</b>	<b>Total</b>	