



## Inspection Report

Leroy E Yoder  
30561 State Road 206  
Walhonding, OH 43843

Customer ID: **41793**  
Certificate: **31-A-0552**  
Site: 001  
LEROY E YODER

Type: ROUTINE INSPECTION  
Date: 16-NOV-2016

### 2.40(b)(2)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

During today's inspection the Licensee had an ultrasonic scaler located in his kennel office. When asked about the scaler, the Licensee stated that he had used it one time on a dog. He was not able to identify the dog that he had used the scaler on at the time of inspection. However; he did state that the dog was awake and not under any anesthetics or tranquilizers while using the scaler. He also stated that he did not plan to use the scaler again because the dental tool vibrates and the dogs didn't like it. He informed the inspector that he had gotten the scaler from someone other than a Veterinarian and that his Attending Veterinarian was not aware that he had obtained or used the scaler. The use of an ultrasonic scaler requires training and if it is used improperly it can cause damage to the dogs teeth, gums and mouth. In addition, it can be very painful for the dog. Using an ultrasonic scaler without obtaining proper instructions and guidance by a licensed veterinarian is not an appropriate method to treat dental issues. The Licensee must discontinue the use of the ultrasonic scaler and obtain appropriate guidance and instructions, in writing, on the appropriate methods to prevent, control, diagnose and treat all dental issues by the Attending Veterinarian.

Correct by: from this day forward

### 3.1(c)(1)(i)

#### HOUSING FACILITIES, GENERAL.

There is an excessive amount of rust on a lixit pipe inside the last enclosure in the large breed whelping area. In addition, the bottom pipe framing in the large breed area on the non-whelping side of the kennel has an excessive amount of rust in about 75% of the enclosures. The areas with excessive rust can not be properly cleaned or sanitized. These areas must be repaired, replaced or resurface to allowed proper cleaning and sanitation.

Correct by: 12/16/2016

This inspection and exit interview were conducted with the Licensee.

Prepared By: SHANNON SEBERA, A C I USDA, APHIS, Animal Care

Date:  
16-NOV-2016

Title: ANIMAL CARE INSPECTOR 6020

Received by Title: LICENSEE

Date:  
16-NOV-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
41793	31-A-0552	001	LEROY E YODER	16-NOV-16

Count	Scientific Name	Common Name
000058	<i>Canis lupus familiaris</i>	DOG ADULT
000026	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000084</b>	<b>Total</b>	