



## Inspection Report

---

Christ F King  
100 Sproul Rd  
Christina, PA 17509

Customer ID: **332637**  
Certificate: **23-A-0605**  
Site: 001  
Christ King

Type: ROUTINE INSPECTION  
Date: 06-AUG-2024

---

### 3.28(c)(1)(iii)

### Repeat

#### Primary enclosures.

Space. Insufficient space was being provided to three weanling enclosures. Weanling enclosures each measure 24 inches wide by 78 inches long or 1872 square inches of floor space. The top enclosure was housing 64 male weanlings, the middle enclosure was housing 64 female weanlings, and the bottom enclosure was housing 128 weanlings. Weanling guinea pigs weighing up to 350 grams require at least 60 inches of floor space each. Can not house more than 31 guinea pig weanlings in this size enclosure.

Insufficient space can cause stress and aggression in animals which can result in bites, scratches, ear chewing, and other injuries and health problems. Licensee must ensure that guinea pigs are provided with at least the minimum amount of floor space per animal to prevent overcrowding, stress, and aggression.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: ROBERT MARKMANN  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
06-AUG-2024

Received by Title: Licensee

Date:  
06-AUG-2024



**Species Inspected**

| Cust No | Cert No   | Site | Site Name   | Inspection  |
|---------|-----------|------|-------------|-------------|
| 332637  | 23-A-0605 | 001  | Christ King | 06-AUG-2024 |

| Count  | Scientific Name        | Common Name         |
|--------|------------------------|---------------------|
| 000813 | <i>Cavia porcellus</i> | DOMESTIC GUINEA PIG |
| 000813 | <b>Total</b>           |                     |