



Inspection Report

Country Ark Farm
122 Genesis Dr
Milford, PA 18337

Customer ID: **22946**

Certificate: **23-C-0309**

Site: 001

COUNTRY ARK FARM

Type: ROUTINE INSPECTION

Date: 07-JUN-2016

3.53(a)(1)

PRIMARY ENCLOSURES.

Section 3.53(a)(1) General: The edges of the wire mesh floor for the enclosure housing the tan rabbit are pulling up away from the wood supports. Some of the wire is broken at the edges of the floor and wire strands are protruding up into the enclosure. The rabbit may be injured by the ends of the wire strands and the floor is not structurally sound. The wire floor must be repaired or replaced to protect the rabbit from injury. When the condition of the floor of the rabbit enclosure was identified by the APHIS official, facility personnel replaced the floor during the inspection. Corrected during the inspection.

An exit briefing was conducted with the owner.

Prepared By: MARY GEIB, D V M USDA, APHIS, Animal Care

Date:
07-JUN-2016

Title: VETERINARY MEDICAL OFFICER 1021

Received by Title: OWNER

Date:
07-JUN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
22946	23-C-0309	001	COUNTRY ARK FARM	07-JUN-16

Count	Scientific Name	Common Name
000022	<i>Atelerix albiventris</i>	HEDGEHOG
000004	<i>Callithrix geoffroyi</i>	WHITE-FRONTED MARMOSET
000016	<i>Callithrix jacchus</i>	COMMON MARMOSET
000001	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
000023	<i>Capra hircus</i>	DOMESTIC GOAT
000012	<i>Capra nubiana</i>	NUBIAN IBEX
000010	<i>Dama dama</i>	FALLOW DEER
000006	<i>Hystrix africaeaustralis</i>	CAPE PORCUPINE
000002	<i>Muntiacus reevesi</i>	REEVE'S MUNTJAC
000002	<i>Nasua olivacea</i>	MOUNTAIN COATI
000002	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000032	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000028	<i>Ovis dalli</i>	WHITE SHEEP
000003	<i>Saimiri sciureus</i>	COMMON SQUIRREL MONKEY
000004	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000002	<i>Taurotragus oryx</i>	COMMON ELAND
000169	Total	