



Inspection Report

Lloyd L King
196 Snake Lane
Kinzers, PA 17535

Customer ID: **326367**
Certificate: **23-A-0593**
Site: 001
LLOYD KING

Type: ROUTINE INSPECTION
Date: 15-SEP-2016

3.26(d)

FACILITIES, INDOOR.

Interior surfaces. There is bare wood on the floor where the paint is worn or scratched in the guinea pig building. The interior surfaces including the floor must be constructed and maintained so that surfaces are impervious to moisture so that they can be readily cleaned and sanitized. Correct by ensuring that the bare wood on floor is resealed or covered with an impervious surface so it can be repeatedly cleaned and disinfected. Correct by November 15, 2016.

3.31(a)(1)

SANITATION.

Cleaning and sanitation of primary enclosures. There were three enclosures housing a total of 26 adult guinea pigs with their offspring that had accumulations of feces and dirty bedding. The accumulation of feces and dirty bedding exposes the guinea pigs to potential infections with bacteria, fungi, and parasites. Correct by ensuring that all primary enclosures are clean and sanitized often enough to prevent an accumulation of feces, dirty bedding, and debris. Additionally, ensure that the primary enclosures are sanitized at least once every two weeks. Correct by September 17, 2016.

This inspection and exit interview were conducted with the owner.

Prepared By: ROBERT MARKMANN, A C I USDA, APHIS, Animal Care

Date:
15-SEP-2016

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
15-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326367	23-A-0593	001	LLOYD KING	15-SEP-16

Count	Scientific Name	Common Name
000161	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000161	Total	