



Inspection Report

Jonas Esh
557 Sawmill Rd
New Providence, PA 17560

Customer ID: **6012651**
Certificate: **23-A-0775**
Site: 001
Jonas Esh

Type: ROUTINE INSPECTION
Date: 02-APR-2024

3.56(a)

Sanitation.

There are accumulations of excreta below the wire floors of all the rabbit enclosures. In addition, the rabbit enclosures have hair accumulating on wire surfaces and two enclosures have a fecal compact on top of the wire flooring preventing the excreta to fall through the wire openings. Licensee stated the rabbit enclosures were last cleaned about two weeks ago. Failure to keep the enclosures reasonably free of excreta and hair can affect the health of the rabbits. Licensee must ensure that rabbit enclosures are kept clean to prevent accumulations of excreta, hair, and debris. The drainboards under the wire flooring must also be cleaned at least once each week. Correct by April 3, 2024.

This inspection and exit interview were conducted with the licensee.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
02-APR-2024

Received by Title: Licensee

Date:
02-APR-2024



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|-----------|-------------|
| 6012651 | 23-A-0775 | 001 | Jonas Esh | 02-APR-2024 |

| Count | Scientific Name | Common Name |
|--------|------------------------------|-----------------------------------|
| 000019 | <i>Oryctolagus cuniculus</i> | DOMESTIC RABBIT / EUROPEAN RABBIT |
| 000019 | Total | |