



Inspection Report

Baylor Research Institute
3434 Live Oak
Dallas, TX 75204

Customer ID: **1413**
Certificate: **74-R-0028**
Site: 001
Baylor Research Institute

Type: ROUTINE INSPECTION
Date: 14-APR-2014

2.31(c)(2)

INSTITUTIONAL ANIMAL CARE AND USE COMMITTEE (IACUC).

The current animal facility does not have enough space to adequately handle and store animal cages and water bottles. Dirty animal cages and water bottles are currently stored in a hallway while waiting to be put through washers that do not have adequate capacity to clean all of the equipment in a timely manner. Once the equipment has been cleaned it must be stored in other hallways because there is not adequate space to store it in a designated area. Hallways are not appropriate areas to store animal equipment. Traffic past dirty cages in one hallway can contaminate clean cages in other hallways. This facility is always exceptionally clean. The effort on the part of the employees to maintain this level of cleanliness in this situation must be commended. The IACUC is responsible for inspecting animal facilities at least once every six months and identifying issues that need to be addressed. The IACUC needs to address and remedy the storage situation in this facility.

To be corrected by: April 1, 2015

Inspection and exit interview conducted with the licensee.

Prepared By: CYNTHIA DIGESUALDO, D V M USDA, APHIS, Animal Care

Date:
15-APR-2014

Title: VETERINARY MEDICAL OFFICER 5055

Received by Title: SENT BY EMAIL

Date:
15-APR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1413	74-R-0028	001	Baylor Research Institute	14-APR-14

No Animals were Inspected.

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	