



## Inspection Report

Hunsader Farms Inc  
5500 C R 675  
Bradenton, FL 34211

Customer ID: **38766**

Certificate: **58-C-1155**

Site: 001

HUNSADER FARMS INC

Type: ROUTINE INSPECTION

Date: 24-MAY-2016

### 2.40(a)(1)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The new animals; bison, wallaby and blackbuck antelope need to be added to the written program of veterinary care to ensure that adequate vet care is being provided.

In the case of a part-time attending veterinarian or consultant arrangements, the formal arrangements shall include a written program of veterinary care and regularly scheduled visits to the premises exhibitor.

TO BE CORRECTED BY: JUNE 6, 2016.

### 3.125(a)

#### FACILITIES, GENERAL.

1) The 4' wire cattle fencing at the pasture housing the buffalo is not of such strength to contain the animals. These animals are currently young, however in the near future they will be able to damage and possibly escape this pasture. Additional measures need to be taken to contain these animals. 2) Both goat enclosures have wood steps and resting platforms that are damaged with protruding nails, loose wire, that need to be repaired or replaced. The goat platform at the front of the facility no longer has the shelter which protects the goats from falling because the platform is approximately 20' high. A new shelter needs to be added so it protects the goats in case they fall.

The facility must be constructed of such material and of such strength as appropriate for the animals involved. The outdoor housing facilities shall be structurally sound and shall protect the animals from injury and to contain the animals.

TO BE CORRECTED BY: JUNE 21, 2016

### 3.127(d)

Prepared By: RICHARD BOTELHO, JR, A C I USDA, APHIS, Animal Care

Date:  
27-MAY-2016

Title: ANIMAL CARE INSPECTOR 2030

Received by Title: \_\_\_\_\_

Date:  
27-MAY-2016



## Inspection Report

---

### FACILITIES, OUTDOOR.

1) The pasture housing two wallaby does not have the required 6' perimeter fence. 2) The pasture housing the blackbuck antelope does not have the required 6' perimeter fence. There is 4' foot cattle fencing on opposite sides of these enclosures.

All outdoor housing facilities must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. Fences must be at least 6 feet high or approved in writing by the Administrator. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility.

TO BE CORRECTED: JUNE 21, 2016.

Inspection and exit interview conducted with the licensee.

---

**Prepared By:** RICHARD BOTELHO, JR, A C I USDA, APHIS, Animal Care

**Date:**  
27-MAY-2016

**Title:** ANIMAL CARE INSPECTOR 2030

**Received by Title:** \_\_\_\_\_

**Date:**  
27-MAY-2016



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
38766	58-C-1155	001	HUNSADER FARMS INC	24-MAY-16

Count	Scientific Name	Common Name
000002	<i>Bison bison</i>	AMERICAN BISON
000016	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Dama mesopotamica</i>	FALLOW DEER
000002	<i>Hippotragus niger</i>	SABLE ANTELOPE
000002	<i>Notamacropus agilis</i>	AGILE WALLABY
000002	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Sus domestica</i>	DOMESTIC PIG
000002	<i>Sylvilagus floridanus</i>	EASTERN COTTONTAIL RABBIT
<b>000030</b>	<b>Total</b>	