



Inspection Report

Ethan Wilhelm
Keri Caraher
3437 Oregon Trail
Fort Collins, CO 80526

Customer ID: **332143**

Certificate: **84-C-0159**

Site: 001

ETHAN WILHELM KERI CARAHER

Type: ROUTINE INSPECTION

Date: 10-JAN-2018

3.6(c)(1)(iii)

PRIMARY ENCLOSURES.

***A female, Jack Russell terrier mix named "Opal" was in a primary enclosure that did not meet minimum height requirements as per the Animal Welfare Act. Opal was unable to stand or be in a normal sitting position without her head touching the wire roof of the enclosure.

Lack of adequate head space limits the ability of the dog to make normal postural adjustments and move freely. The licensee must ensure that the interior height of a primary enclosure be at least 6 inches higher than the head of the tallest dog in the enclosure when it is in a normal standing position. Opal was removed from this enclosure at the time of inspection.

To be corrected from this date forward.

This inspection and exit interview were conducted with the licensee.

Prepared By: ENGEL D.V.M DOMINIQUE, D V M USDA, APHIS, Animal Care

Date:
11-JAN-2018

Title: HPA GOV USER 6113

Received by Title: KERI CARAHER

Date:
11-JAN-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332143	84-C-0159	001	ETHAN WILHELM KERI CARAHER	10-JAN-18

Count	Scientific Name	Common Name
000014	<i>Canis lupus familiaris</i>	DOG ADULT
000014	Total	