



## Inspection Report

Clarks Elioak Farm LLC  
10500 Route 108  
Ellicott City, MD 21042

Customer ID: **20987**

Certificate: **51-C-0062**

Site: 001

CLARKS ELIOAK FARM LLC

Type: ROUTINE INSPECTION

Date: 14-JUL-2017

### 3.125(a)

#### FACILITIES, GENERAL.

\*\*\*Main Goat Pen: The enclosure is constructed of board fencing with wire panel fence attached to the lower half of the enclosure. The wire panel fence is damaged in some sections along the front of the enclosure. Another section is detached from a support post and extends inward in a manner that a goat leg could become entangled within the fencing. There is also a section of fence detached from the board fence with the top edge extending into the enclosure. The wire fence in other sections are broken or bent exposing sharp points or a rough edge. The current condition of the fence may cause injury to the goats. The wire fence must be replaced or repaired to eliminate all sharp edges and be constructed in a manner that would prevent injury. Correct by July 21, 2017

This inspection and exit interview were conducted with the farm manager.

This is an electronic version of the Microsoft Word inspection report dated 14 July 2017.

Prepared By: MCFADDEN GLORIA, D V M USDA, APHIS, Animal Care

Date:  
24-JUL-2017

Title: VETERINARY MEDICAL OFFICER 1048

Received by Title: FARM MANAGER

Date:  
24-JUL-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
20987	51-C-0062	001	CLARKS ELIOAK FARM LLC	14-JUL-17

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000024	<i>Capra hircus</i>	DOMESTIC GOAT
000004	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000036</b>	<b>Total</b>	