

TSTOTT **2016090000792321** Insp_id

Inspection Report

TOM RUNYAN 4839 RIO PENASCO RD. MAYHILL, NM 88339 Customer ID: 40533

Certificate: 85-C-0022

Site: 001

TOM W. RUNYAN

Type: ROUTINE INSPECTION

Date: 19-MAY-2022

3.127(d) Repeat

Facilities, outdoor.

The perimeter fence is less than six feet in height around the "Yard" pen at the front of the facility. Additionally, the rear perimeter fence line is in poor repair and is constructed of weathered wooden and metal posts connected with broken and/or sagging wire; it is less than six feet in height all along its visible length. Neither of these fence sections are true perimeter fences because they are functioning as the walls of primary enclosures and can therefore not serve as a secondary containment system for any escaped animals; they also cannot prevent other animals and unauthorized persons from entering. These situations pose a risk of injury for both people and animals.

The licensee must modify the existing fence(s) or install a different perimeter fence or fences of at least 6 feet in height (for the species inventoried at the time of this inspection), a minimum of three feet from the primary enclosures, and constructed so that the fence(s) protect(s) the animals by restricting entry of outside animals and unauthorized persons from going through it, or under it, or having contact with the animals in the facility.

3.131(c)

Sanitation.

In the "Yard" pen, accessible to one adult kangaroo and eight juvenile goats, there are two broken, wooden ramps with holes large enough for animals' feet to pass through and an unused chain link dog kennel that is being stored in the open.

Prepared By: TAMILA STOTT

USDA, APHIS, Animal Care Date: 25-MAY-2022

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Facility Representative

25-MAY-2022

Date:



TSTOTT **2016090000792321** Insp_id

Inspection Report

The wire of the kennel's chain link walls is cut and protruding in numerous places, resulting in holes and sharp points. Within "Miles' Pen", containing one adult axis male deer, one juvenile yak, one adult llama, four adult alpacas, two lambs and 24 kid and adult goats, there is a wooden shelter with a thin metal roof that is in poor repair, with sharp edges that could easily come into contact with the animals in the pen. These situations pose risks for injury to the animals. Elsewhere throughout the facility, there are accumulations of rubble, building materials and other unused items. Such accumulations provide a harbor for vermin and pests that could pose a risk of injury or disease for the animals. Premises (buildings and grounds) shall be kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices set forth in the regulations. Accumulations of trash shall be placed in designated areas and cleared as necessary to protect the health of the animals.

TO BE CORRECTED BY JUNE 8, 2022

This inspection and exit interview were conducted with a facility representative.

Prepared By: TAMILA STOTT Date:

USDA, APHIS, Animal Care **Title:** VETERINARY MEDICAL

OFFICER

Received by Title: Facility Representative Date:

25-MAY-2022

25-MAY-2022



Customer: 40533

Inspection Date: 19-May-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
40533	85-C-0022	001	TOM W. RUNYAN	19-MAY-2022

Count	Scientific Name	Common Name		
000001	Axis axis	AXIS DEER / SPOTTED DEER / CHITAL		
000004 000001 000037 000001 000002 000004 000004	Bos taurus Bubalus bubalis Capra hircus Osphranter rufus Bos grunniens Bos primigenuis indicus Equus asinus asinus	CATTLE / COW / OX / WATUSI ASIATIC WATER BUFFALO DOMESTIC GOAT RED KANGAROO YAK ZEBU DONKEY / BURRO / ASS		
000006	Ovis aries aries	SHEEP INCLUDING ALL DOMESTIC BREEDS DROMEDARY CAMEL LLAMA ALPACA DOMESTIC PIG / POTBELLY PIG / MICRO PIG BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA		
000001 000003 000006	Camelus dromedarius Lama glama Lama pacos			
000006	Sus scrofa domestica			
000001	Equus quagga			
000001	Dolichotis patagonum Total	PATAGONIAN CAVY / MARA		



Customer: 40533

Inspection Date: 19-May-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
40533	85-C-0022	001	TOM W. RUNYAN	19-MAY-2022