



Inspection Report

Charles River Laboratories Inc
251 Ballardvale Street
Wilmington, MA 01887

Customer ID: **1799**

Certificate: **14-R-0144**

Site: 031

Charles River Laboratories

Type: ROUTINE INSPECTION

Date: 01-SEP-2022

2.31(e)(2)

Institutional Animal Care and Use Committee (IACUC).

Review of Protocol P-062821-B showed that this protocol, as approved, does not contain a rationale for the appropriateness of the number of animals to be used.

An animal use proposal must include a rationale for the appropriateness of the numbers of animals to be used so that the IACUC (Institutional Animal Care and Use Committee) can conduct a thorough review of the components of the activities related to the care and use of animals and determine that the proposed activities are in accordance with the Animal Welfare Act.

The IACUC (Institutional Animal Care and Use Committee) needs to address this deficiency and ensure all approved protocols contain a rationale for the appropriateness of the numbers of animals. Correct by September 16, 2022.

This inspection and exit interview were conducted with facility representatives.

Prepared By: CHARLES PALMER

USDA, APHIS, Animal Care

Date:

02-SEP-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

02-SEP-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1799	14-R-0144	031	Charles River Laboratories	01-SEP-2022

Count	Scientific Name	Common Name
000732	<i>Macaca fascicularis</i>	CRAB-EATING MACAQUE / CYNOMOLGUS MONKEY
000732	Total	