



Inspection Report

Stew Leonards
99 Federal Rd
Danbury, CT 06811

Customer ID: **10174**
Certificate: **16-C-0085**
Site: 001
STEW LEONARDS

Type: ROUTINE INSPECTION
Date: 22-JUL-2014

3.125(a)

FACILITIES, GENERAL.

At this time the roof shingles behind the water wheel and the roof of the calf shelter are in need of attention. There are shingles missing and / or damaged. To ensure that the animal areas are maintained properly these roofs will need to be addressed.

***To Be Corrected By: August 2, 2014

3.131(c)

SANITATION.

At the time of this inspection it was noted that the stream bed that runs through the calf, goat and sheep enclosures was in need of attention. This water feature is ~ 6-8 deep. However, the water in this stream bed was brown and emitted an odor. At this time you could not see the bottom of this stream bed. To ensure that the areas are kept clean this water feature will need to be cleaned on a more frequent basis.

***To Be Corrected By: July 23, 2014

Prepared By: JAN BALTRUSH, A C I USDA, APHIS, Animal Care

Date:
22-JUL-2014

Title: ANIMAL CARE INSPECTOR 1011

Received by Title: SENT VIA EMAIL

Date:
22-JUL-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
10174	16-C-0085	001	STEW LEONARDS	22-JUL-14

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Capra hircus</i>	DOMESTIC GOAT
000002	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000006	Total	