



## Inspection Report

Dawn M Guillory-Nozawa  
Jerome J Nozawa Sr.  
P.O. Box 26  
Kaaawa, HI 96730

Customer ID: **8448**  
Certificate: **95-C-0042**  
Site: 001  
DAWN & JEROME NOZAWA

Type: ROUTINE INSPECTION  
Date: 24-MAR-2017

---

### 2.40(a)(1) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The licensee does not have a written Program of Veterinary Care.

The licensee does not have written guidance from the attending veterinarian regarding preventative care, treatment for routine and common veterinary problems, and / or emergency care.

In order to ensure problems of animal health are addressed adequately and in a timely manner, a written program of veterinary care should be maintained and followed.

### 3.52(d) REPEAT

#### FACILITIES, OUTDOOR.

A rabbit is being housed outdoors with no fencing, beyond its primary enclosure, that would exclude predators.

In order to house the rabbits in this manner the licensee would need to request and receive a variance from USDA / APHIS / Animal Care.

Steps should be taken immediately to protect the rabbits from any possible predators, and this issue should be resolved, via variance or fencing.

### 3.56(a)(1) REPEAT

#### SANITATION.

The rabbit enclosure is made of wire panels which have significant rust, impeding cleaning and sanitizing. Poor sanitation could be detrimental to the health of the rabbit.

The rabbit enclosure should be maintained in good repair, free of debris and rust, so as to provide a clean, safe environment for the rabbit.

---

Prepared By: SMITH PAMELA, D V M USDA, APHIS, Animal Care

Date:  
25-MAR-2017

Title: VETERINARY MEDICAL OFFICER 6036

Received by Title: CERT MAIL #70160600000089353886

Date:  
25-MAR-2017



## Inspection Report

---

### 3.125(a) REPEAT

#### FACILITIES, GENERAL.

The animal enclosures were not structurally sound, and contained hazards that could injure the animals:

In the hoofstock enclosures there were corrugated metal sections in the fence-line, on the ground, and overhead, that had sharp edges. Welded wire fencing panels fastened together, or to posts, with twine. Fencing is not sturdy enough for species.

Enclosures should be constructed of materials, and of sufficient strength so as to be appropriate for the species. They should be maintained in good repair. They should adequately contain the animals, and protect them from injury.

The current state of these enclosures puts the animals at risk of escape and or injury. Steps should be taken to repair and maintain the enclosures.

### 3.131(c) REPEAT

#### SANITATION.

There was an excessive amount of clutter and an accumulation of discarded items on the grounds and in buildings near the animals.

The buildings and grounds should be kept clean and in good repair, in order to facilitate good husbandry, and to avoid creating habitat for vermin. Accumulations of trash should be removed. Failure to maintain good housekeeping could be detrimental to the well-being of the animals.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: SMITH PAMELA, D V M USDA, APHIS, Animal Care

Date:  
25-MAR-2017

Title: VETERINARY MEDICAL OFFICER 6036

Received by Title: CERT MAIL #70160600000089353886

Date:  
25-MAR-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
8448	95-C-0042	001	DAWN & JEROME NOZAWA	24-MAR-17

Count	Scientific Name	Common Name
000002	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000017	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Lama glama</i>	LLAMA
000001	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000002	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
<b>000023</b>	<b>Total</b>	