



## Inspection Report

---

Amos M Stoltzfus  
461 Highpoint Rd  
Cochranville, PA 19330

Customer ID: **6002732**  
Certificate: **23-A-0730**  
Site: 001  
Amos M Stoltzfus

Type: ROUTINE INSPECTION  
Date: 24-JUN-2024

---

### 3.31(a)(1)

#### Sanitation.

There is brown dirt and debris on the sides and floors of the primary enclosures. Inadequate cleaning of organic matter, dirt, and debris can expose the guinea pigs to disease hazards and health problems. Correct by ensuring that walls and floors are adequately cleaned when dirty and that primary enclosures are sanitized at least once every 2 weeks. Correct by June 6, 2024.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: ROBERT MARKMANN  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
24-JUN-2024

Received by Title: Licensee

Date:  
24-JUN-2024



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
6002732	23-A-0730	001	Amos M Stoltzfus	24-JUN-2024

Count	Scientific Name	Common Name
000504	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000504	<b>Total</b>	