



Inspection Report

Carla Couchman
20703 Clarke Decatur St
Weldon, IA 50264

Customer ID: 5313
Certificate: 42-A-1263
Site: 002
CARLA COUCHMAN

Type: ROUTINE INSPECTION
Date: 04-FEB-2016

3.1(c)(1)(2) REPEAT

HOUSING FACILITIES, GENERAL.

In at least two enclosures in the first building, there are wires hanging off the access doors and the sharp points of these wires are located at the level of the dogs. There are at least three dogs housed in these enclosures. Also in the first building, there is one enclosure whose wire side has broken along the floor resulting in sharp points at the level of the dog. There is one dog housed in this enclosure. Sharp points could cause injury to the dogs.

Enclosures must be free of sharp points or jagged edges that could injure the animals. The licensee must remove all sharp points from all dog enclosures to ensure that they remain safe for the animals. Corrected at the time of inspection.

Inspection was conducted with Kelly Maxwell, ACI, Heather Cole, VMO, and IDALS.

Exit interview conducted with Kelly Maxwell, ACI, Heather Cole, VMO, and the facility representative.

Additional Inspectors

Cole Heather, Supervisory Animal Care Specialist

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:
04-FEB-2016

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: FACILITY REPRESENTATIVE

Date:
04-FEB-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5313	42-A-1263	002	CARLA COUCHMAN	04-FEB-16

Count	Scientific Name	Common Name
000097	<i>Canis lupus familiaris</i>	DOG ADULT
000032	<i>Canis lupus familiaris</i>	DOG PUPPY
000129	Total	