



Inspection Report

City of San Angelo
7409 KNICKERBOCKER ROAD
SAN ANGELO, TX 76904

Customer ID: **45200**
Certificate: **74-C-1008**
Site: 001
City of San Angelo

Type: ROUTINE INSPECTION
Date: 06-JUN-2023

2.40(a)(2) Direct

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

During this inspection, a feral cat was noted near the outside rabbit enclosure. When the facility representative was asked about the cat and health concerns for the resident animals, she explained the attending veterinarian did have concerns and recommended something be done about the cats.

When the attending veterinarian was contacted, she confirmed her concerns about the feral cats and the possible diseases they could transfer to the animals, and she confirmed she had advised something be done to catch/relocate/prevent feral cats.

Each dealer and exhibitor shall assure that the attending veterinarian has appropriate authority to ensure the provision of adequate veterinary care and to oversee the adequacy of other aspects of animal care and use.

Since the veterinarian has recommended something be done about the feral cats and nothing has been done, the veterinarian has not been given appropriate authority to ensure the provision of adequate veterinary care.

The veterinarian's recommendation that something be done about the feral cats needs to be followed.

To be corrected by: July 1, 2023

3.56(c)

Sanitation.

During the inspection it was noted there was a large amount of black staining on the carpet in front of the indoor rabbit enclosure. When asked about the staining, the facility representative explained the roof over the corner of the enclosure leaks and the stain is a result of the leak. When asked if the black color was mold, the representative said she wasn't sure, but possible.

Premises shall be kept clean and in good repair to protect the health of the animals and facilitate prescribed husbandry practices. Allowing the roof to continuously leak and carpet to mold is endangering the health of the animals by compromising the environment and air they are exposed to.

The roof needs to be repaired and the carpet replaced/cleaned or the rabbits need to be moved to a different location.

To be corrected by: July 1, 2023

3.127(d)

Facilities, outdoor.

Prepared By: CYNTHIA DIGESUALDO
USDA, APHIS, Animal Care

Date:
14-JUN-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
14-JUN-2023



Inspection Report

- The wood portion of the perimeter fence surrounding the entire facility is in poor repair. Multiple wood slats had portions missing from either the top or bottom. Whole sections of fence appeared ready to fall. The gate to the back door wouldn't close.

The purpose of a perimeter fence is to protect the animals in the facility by restricting unwanted animals and unauthorized persons from having contact with facility animals. This perimeter fence has failed to restrict unwanted animals and unauthorized person. The facility has photos of cat food being dumped through holes in the fence for feral cats. This situation has endangered the resident animals by attracting unwanted feral animals.

The wooden portion of perimeter fence needs to be repaired so that it adequately restricts unwanted animals and unauthorized persons.

- The wood barrier separating the bobcat enclosure from the public is approximately 6 inches from the primary enclosure. Barriers must be of sufficient distance from the outside of the primary enclosure to prevent physical contact between animals inside the enclosure and animals or persons outside the enclosure for the safety of the public and the animals. Fences less than 3 feet from the primary enclosure must be approved in writing by the Administrator. This barrier needs to be relocated to a minimum of 3 feet from the primary enclosure or written approval for the current location needs to be obtained from the Administrator.

To be corrected by: July 1, 2023

3.131(c)

Sanitation.

During the inspection, it was noted there was a large amount of black staining on the carpet in front of the indoor squirrel enclosure. When asked about the staining, the facility representative explained the roof over the corner of the enclosure leaks and the stain is a result of the leak. When asked if the black color was mold, the representative said she wasn't sure, but possible.

Premises shall be kept clean and in good repair to protect the health of the animals and facilitate prescribed husbandry practices. Allowing the roof to continuously leak and carpet to mold is endangering the health of the animals by compromising the environment and air they are exposed to.

The roof needs to be repaired and the carpet replaced/cleaned or the squirrel needs to be moved to a different location.

To be corrected by: July 1, 2023

This inspection and exit interview were conducted with facility representatives.

Prepared By: CYNTHIA DIGESUALDO

USDA, APHIS, Animal Care

Date:

14-JUN-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

14-JUN-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
45200	74-C-1008	001	City of San Angelo	06-JUN-2023

Count	Scientific Name	Common Name
000001	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000002	<i>Sylvilagus floridanus</i>	EASTERN COTTONTAIL RABBIT
000001	<i>Lynx rufus</i>	BOBCAT
000001	<i>Chinchilla lanigera</i>	CHINCHILLA (DOMESTICATED)
000001	<i>Spermophilus beecheyi</i>	CALIFORNIA ROCK SQUIRREL
000003	<i>Octodon degus</i>	DEGU
000002	<i>Cynomys ludovicianus</i>	BLACK-TAILED PRAIRIE DOG
000011	Total	