

105151729574543 Insp_id

Inspection Report

Bushover'S Biologicals, Inc.

Cross Hill Road

992 Cross Hill Road

Vassalboro, ME 04989

Customer ID: 68

Certificate: 11-R-0012

Site: 001

BUSHOVER'S BIOLOGICALS, INC.

Type: ROUTINE INSPECTION

Date: 14-APR-2015

3.131(c)

SANITATION.

*Two fly strips above the treatment stall for the goats were full of flies. There were some cobwebs attached to the back and sides of the stall.

Debris from older fly strips and cobwebs could allow for contamination of equipment during procedures or while routinely handling the animals. In addition, as weather warms, fly strips that are full may not adequately control flies.

Premises shall be kept clean in order to protect the animals from injury.

Corrected at time of inspection.

The inspection and exit briefing were conducted with the President.

Prepared By: CHRISTINA DER, D V M USDA, APHIS, Animal Care Dat

Title: VETERINARY MEDICAL OFFICER 6068

Received by Title: PRESIDENT (BY EMAIL)

Date:

16-APR-2015

Page 1 of 1

Date: 16-APR-2015



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 68
Inspection Date: 14-APR-15

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
68	11-R-0012	001	BUSHOVER'S BIOLOGICALS, INC.	14-APR-15

CountScientific NameCommon Name000070Capra hircusDOMESTIC GOAT000060Oryctolagus cuniculusEUROPEAN RABBIT000130Total